Author index*

A

Aaronson KD, Mancini DM. Is percentage of predicted maximal exercise oxygen consumption a better predictor of survival than peak exercise oxygen consumption for patients with severe heart failure (1995;14:981-9). 1996;15: 106-7 (Correction)

Abi-Saleh WJ (*see* Chan et al). 1996;15:196-205

Achuff SC (*see* Herrington et al). 1996;15:88-93

Acker MA (*see* Drachman et al). 1996;15:1158-64

Addonizio VP (*see* McClurken et al). 1996;15: 368-70

Adent JK (*see* Saint Martin et al). 1996;15:1217-22

Admon D (*see* Freimark et al). 1996;15:150-9

— — (*see* Tixier et al). 1996;15:919-27

Agacki K (*see* Patterson et al). 1996;15:175-81

Albert GD (*see* Tixier et al). 1996;15:919-27

Albes JM (*see* Fukuse et al). 1996;15:903-10

Alderman EL (*see* Liang et al). 1996;15:980-7

Aleksic I (*see* Freimark et al). 1996;15:150-9

Alessandrini F (*see* Sasaki et al). 1996;15:35-42

Alexander G (*see* Dennis et al). 1996;15:536-8

Allmayr T (*see* Iberer et al). 1996;15:314-5 (Letter)

Almeida DR, Carvalho AC, Branco JN, Pereira CAP, Correa L, Vianna PVC, Buffolo E, Martinez EE. Chagas' disease reactivation after heart transplantation: efficacy of allopurinol treatment. 1996;15:988-92

Alonso-Pulpón L (*see* Oteo et al). 1996;15:322-4 (Letter)

Amador R (*see* Tixier et al). 1996;15:919-27

Amano J, Hiroe M, Ohta Y, Ishiyama S, Nishikawa T, Tanaka H, Sunamori M, Suzuki A, Miyasaka M, Marumo F. Uptake of indium-111-anti-intercellular adhesion molecule-1 monoclonal antibody in the allografted rat lung during acute rejection. 1996;15:1027-33

Ambrosi P, Bertucci B, Bertault-Péres P, Métras D. Felodipine in hypertensive heart transplant recipients. 1996;15:540-1 (Letter)

Amrein C (*see* Fornes et al). 1996;15:796-803

Anderson TJ (*see* Davis et al). 1996;15:580-6

Andreassen AK (*see* Hartmann et al). 1996;15: 972-9

Angelini A (*see* Milano et al). 1996;15:456-60

Arabia FA (*see* Copeland et al). 1996;15:94-9

Ardery P (*see* Chen et al). 1996;15:395-403

Armstrong AT, Strauch AR, Kardan A, Starling RC. Morphometric and immunocytochemical analysis of coronary arterioles in human transplanted hearts. 1996;15:818-26

Arroliga AC (*see* Chan et al). 1996;15:196-205

Arvieux CC (*see* Girard et al). 1996;15:700-8

Asante-Korang A, Boyle GJ, Webber SA, Miller SA, Fricker FJ. Experience of FK506 immune suppression in pediatric heart transplantation: a study of long-term adverse effects. 1996;15: 415-22

Ashton RC Jr, Goldstein DJ, Rose EA, Weinberg AD, Levin HR, Oz MC. Duration of left ventricular assist device support affects transplant survival. 1996;15:1151-7

Attfield D (*see* Liu et al). 1996;15:222-8

Auer T, Schreier G, Hutten H, Kleinert R, Wasler A, Petutschnigg B, Iberer F, Tscheliessnigg K, Schaldach M. Paced epimyocardial electrograms for noninvasive rejection monitoring after heart transplantation. 1996;15:993-8

— — (*see* Iberer et al). 1996;15:314-5 (Letter)

Auler JOC Jr, Carmona MJC, Bocchi EA, Bacal F, Fiorelli AI, Stolf NAG, Jatene AD. Low doses of inhaled nitric oxide in heart transplant recipients. 1996;15:443-50

Aupart M (*see* Babuty et al). 1996;15:1120-9

Azen CG (*see* Freimark et al). 1996;15:150-9

B

Baan CC, Niesters HGM, Balk AHMM, Mochtar B, Zondervan PE, Weimar W. The intragraft cytokine mRNA pattern reflects the efficacy of steroid antirejection therapy. 1996;15:1184-93

Babuty D, Aupart M, Machet MC, Rouchet S, Cosnay P, Garnier D. Detection of acute cardiac allograft rejection with high resolution electrocardiography: experimental study in rats. 1996;15:1120-9

Bacal F (*see* Auler et al). 1996;15:443-50

— — (*see* Bocchi et al). 1996;15:736-45

Backer CL (*see* Takami et al). 1996;15:67-77

Baker WA (*see* Hearne et al). 1996;15:532-5

*January (part 1), pp. 1-110; January (part 2), pp. S1-S114; February, pp. 111-120; March, pp. 221-328; April, pp. 329-434; May, pp. 435-546; June, pp. 547-654; July, pp. 655-748; August, pp. 749-856; September, pp. 857-958; October, pp. 959-1062; November, pp. 1063-1170; December, pp. 1171-1316.

Balk AHMM (*see* Baan et al). 1996;15:1184-93
— — (*see* DeVito-Haynes et al). 1996;15:1012-26
Bando K (*see* Takagaki et al). 1996;15:527-31
Bando M (*see* Ishikawa et al). 1996;15:1005-11
Bando T (*see* Fukuse et al). 1996;15:903-10
Barbee RW (*see* Mehra et al). 1996;15:51-7
Bashore TM (*see* Hearne et al). 1996;15:532-5
Bauce B (*see* Milano et al). 1996;15:456-60
Baughman KL (*see* Herrington et al). 1996;15: 88-93
Baum M (*see* Janner et al). 1996;15:758-63
Bellotti G (*see* Bocchi et al). 1996;15:736-45
Bennett LE (*see* Hosenpud et al). 1996;15:655-74 (Registry)
Berg KJ (*see* Hartmann et al). 1996;15:972-9
Bergen GA, Sakalosky PE, Sinnott JT. Transient aplastic anemia caused by parvovirus B19 infection in a heart transplant recipient. 1996; 15:843-5
Berger R (*see* Wutte et al). 1996;15:317-8 (Letter)
Berry GJ (*see* Girgis et al). 1996;15:1200-8
— — (*see* Soghikian et al). 1996;15:881-7
— — (*see* Valentine et al). 1996;15:371-83
— — (*see* Yousem et al). 1996;15:1-15
Berryman ER (*see* Gregory et al). 1996;15:58-66
Bertault-Péres P (*see* Ambrosi et al). 1996;15: 540-1 (Letter)
Bertucci B (*see* Ambrosi et al). 1996;15:540-1 (Letter)
Bhabra MS (*see* Hopkinson et al). 1996;15:283-90
Binkley PF (*see* Khot et al). 1996;15:350-9
Binns OAR, DeLima NF, Buchanan SA, Nichols GE, Cope JT, King RC, Marek CA, Tribble CG, Kron IL. Impaired bronchial healing after lung donation from non-heart-beating donors. 1996;15:1084-92
Bittner HB, Kendall SWH, Chen EP, Van Trigt P. The combined effects of brain death and cardiac graft preservation on cardiopulmonary hemodynamics and function before and after subsequent heart transplantation. 1996;15: 764-77
Bjørnerheim R (*see* Gullestad et al). 1996;15: 304-13
— — (*see* Gullestad et al). 1996;15:1075-83
Blackhouse L (*see* Madden et al). 1996;15:234-8
Blanche C (*see* Freimark et al). 1996;15:150-9
— — (*see* Tixier et al). 1996;15:919-27
Blitz A (*see* Drinkwater et al). 1996;15:684-91
Bocchi EA, Bellotti G, Moreira LF, Bacal F, de Moraes AV, Fiorelli A, Mansur A, Stolf N, Jatene A, Pileggi F. Mid-term results of heart transplantation, cardiomyoplasty, and medical treatment of refractory heart failure caused by idiopathic dilated cardiomyopathy. 1996;15: 736-45
— — (*see* Auler et al). 1996;15:443-50
Bois D (*see* Carrier et al). 1996;15:1179-83
Boissonnat P (*see* de Lorgeril et al). 1996;15: 539-40 (Letter)
Bolling SF, Lin H, Wei R-Q, Turka LA. Preventing allograft rejection with CTLA4IG: effect of donor-specific transfusion route or timing. 1996;15:928-35
Bolman RM III (*see* Cahill et al). 1996;15:1130-7
— — (*see* Kshettry et al). 1996;15:169-74
Bond S (*see* Gatewood et al). 1996;15:936-47
Bonnefoy-Berard N, Revillard J-P. Mechanisms of immunosuppression induced by antithymocyte globulins and OKT3. 1996;15:435-42
Bork J (*see* Janner et al). 1996;15:758-63
Botas J (*see* Liang et al). 1996;15:980-7
Bouchard D, Cartier R, Despatis M-A, Carrier M, Leung T-K. Receptor-specific effects of acute rejection after heart transplantation on endothelium-dependent coronary relaxation in dogs. 1996;15:404-8
Boudoulas H (*see* Starling and Boudoulas). 1996; 15:431-2 (Letter)
Bourge RC (*see* Smart et al). 1996;15:329-41
Bove AA (*see* McClurken et al). 1996;15:368-70
Bowers MC (*see* Gatewood et al). 1996;15:936-47
Boyle GJ (*see* Asante-Korang et al). 1996;15: 415-22
Braith RW, Mills RM Jr, Wilcox CS, Convertino VA, Davis GL, Limacher MC, Wood CE. Fluid homeostasis after heart transplantation: the role of cardiac denervation. 1996;15:872-80
Branco JN (*see* Almeida et al). 1996;15:988-92
Braun P (*see* Park et al). 1996;15:572-9
Bricker JT (*see* Schowengerdt et al). 1996;15: 111-23
Bridges ND, Mallory GB, Huddleston CB, Canter CE, Spray TL. Lung transplantation in infancy and early childhood. 1996;15:895-902
— — (*see* Santos-Ocampo et al). 1996;15:25-34
Bridgewater BJM (*see* Hopkinson et al). 1996;15: 283-90
Brink J. Twenty-three–year survival after orthotopic heart transplantation. 1996;15:430-1 (Letter)
Bristow MR (*see* Renlund et al). 1996;15:16-24
— — (*see* Taylor et al). 1996;15:1039-46
Bruggeman CA (*see* You et al). 1996;15:1108-19
Bruneval P (*see* Fornes et al). 1996;15:796-803
Buchanan SA (*see* Binns et al). 1996;15:1084-92

Buck LA (*see* Morrone et al). 1996;15:423-9
Buelow R (*see* Gao et al). 1996;15:78-87
Buffolo E (*see* Almeida et al). 1996;15:988-92
Burdine J (*see* Kshettry et al). 1996;15:169-74
Burkhoff D (*see* Dickstein and Burkhoff). 1996; 15:715-21
—— (*see* Levin et al). 1996;15:840-2
Burlingham WJ (*see* DeVito-Haynes et al). 1996; 15:1012-26
Burns WR (*see* Gotteiner et al). 1996;15:596-604
Buxbaum P (*see* Dorffner et al). 1996;15:846-9

C

Cabeza Meckert PM (*see* Laguens et al). 1996;15: 911-8
Caforio ALP (*see* Milano et al). 1996;15:456-60
Cagle PT (*see* Yousem et al). 1996;15:1-15
Cahalin LP (*see* Morrone et al). 1996;15:423-9
Cahill BC, O'Rourke MK, Strasburg KA, Savik K, Jessurun J, Bolman RM III, Hertz MI. Methotrexate for lung transplant recipients with steroid-resistant acute rejection. 1996;15: 1130-7
Caine N, Sharples LD, Dennis C, Higenbottam TW, Wallwork J. Measurement of health-related quality of life before and after heart-lung transplantation. 1996;15:1047-58
Calne RY (*see* Dennis et al). 1996;15:536-8
Camacho C (*see* Oteo et al). 1996;15:322-4 (Letter)
Cameron DE (*see* Herrington et al). 1996;15: 88-93
Campbell C (*see* El-Gamel et al). 1996;15:319-21 (Letter)
Campbell CS (*see* El-Gamel et al). 1996;15:564-71
Canter CE (*see* Bridges et al). 1996;15:895-902
—— (*see* Hirsch et al). 1996;15:1093-1100
—— (*see* Santos-Ocampo et al). 1996;15:25-34
Cardy A (*see* Gatewood et al). 1996;15:936-47
Carmona MJC (*see* Auler et al). 1996;15:443-50
Carrier M, Pelletier GB, White M, Bois D, Pelletier LC. Effect of pentoxifylline on renal toxicity of cyclosporine: results of a clinical trial after heart transplantation. 1996;15:1179-83
—— (*see* Bouchard et al). 1996;15:404-8
Cartier R (*see* Bouchard et al). 1996;15:404-8
Carvalho AC (*see* Almeida et al). 1996;15:988-92
Casarotto D (*see* Milano et al). 1996;15:456-60
Catanese KA (*see* Levin et al). 1996;15:840-2
—— (*see* Morrone et al). 1996;15:423-9
Chamberlain D (*see* Kesten et al). 1996;15:384-8
—— (*see* Yousem et al). 1996;15:1-15
Chan CC, Abi-Saleh WJ, Arroliga AC, Stillwell PC, Kirby TJ, Gordon SM, Petras RE, Mehta AC. Diagnostic yield and therapeutic impact of flexible bronchoscopy in lung transplant recipients. 1996;15:196-205
Chen C-Z, Gallagher RC, Ardery P, Dyckman W, Low HBC. Retrograde versus antegrade flush in canine left lung preservation for six hours. 1996;15:395-403
Chen EP (*see* Bittner et al). 1996;15:764-77
Chinnock R (*see* Janner et al). 1996;15:758-63
Chong AS-F. Receptors that turn on and turn off natural killer cells. 1996;15:675-83
Claas FHJ (*see* DeVito-Haynes et al). 1996;15: 1012-26
Cohen DS (*see* Goggins et al). 1996;15:790-5
Cohnert T (*see* Grauhan et al). 1996;15:136-43
Collins EG, White-Williams C, Jalowiec A. Impact of the heart transplant waiting process on spouses. 1996;15:623-30
Conte JV, Robbins RC, Reichenspurner H, Valentine VG, Theodore J, Reitz BA. Pediatric heart-lung transplantation: intermediate-term results. 1996;15:692-9
—— (*see* Girgis et al). 1996;15:1200-8
Convertino VA (*see* Braith et al). 1996;15:872-80
Cook JL (*see* Mehra et al). 1996;15:51-7
Cooke JP (*see* Gregory et al). 1996;15:58-66
Cooper DKC (*see* Rose and Cooper). 1996;15: 804-17
Cope JT (*see* Binns et al). 1996;15:1084-92
Copeland JG, Pavie A, Duveau D, Keon WJ, Masters R, Pifarre R, Smith RG, Arabia FA. Bridge to transplantation with the CardioWest total artificial heart: the international experience 1993 to 1995. 1996;15:94-9
—— (*see* Gatewood et al). 1996;15:936-47
Correa L (*see* Almeida et al). 1996;15:988-92
Cosnay P (*see* Babuty et al). 1996;15:1120-9
Costanzo MR. In honor of Jacques G. Losman, and Michael P. Kaye. 1996;15:221 (Editorial)
—— (*see* Grady et al). 1996;15:863-71
—— (*see* Lin et al). 1996;15:1223-32
—— (*see* Lin et al). 1996;15:1233-47
—— (*see* Smart et al). 1996;15:329-41
Crawford SE (*see* Gotteiner et al). 1996;15:596-604
—— (*see* Takami et al). 1996;15:67-77
Czer LSC (*see* Freimark et al). 1996;15:150-9
—— (*see* Tixier et al). 1996;15:919-27

D

Daily OP (*see* Hosenpud et al). 1996;15:655-74 (Registry)

D'Armini AM, Roberts CS, Lemasters JJ, Egan TM. Lung retrieval from cadaver donors with nonbeating hearts: optimal preservation solution. 1996;15:496-505
– – (*see* Roberts et al). 1996;15:275-82
Davis GL (*see* Braith et al). 1996;15:872-80
Davis RD (*see* Hearne et al). 1996;15:532-5
Davis SF, Kannam JP, Wielopolski P, Edelman RR, Anderson TJ, Manning WJ. Magnetic resonance coronary angiography in heart transplant recipients. 1996;15:580-6
Dec GW (*see* McNamara et al). 1996;15:506-15
DeCampos KN (*see* Tremblay et al). 1996;15: 260-8
Deiraniya AK (*see* Egan et al). 1996;15:1268-9 (Letter)
– – (*see* El Oakley et al). 1996;15:255-9
– – (*see* El-Gamel et al). 1996;15:564-71
– – (*see* El-Gamel et al). 1996;15:315-6 (Letter)
– – (*see* El-Gamel et al). 1996;15:319-21 (Letter)
DeLima NF (*see* Binns et al). 1996;15:1084-92
de Lorgeril M, Boissonnat P, Salen P, Monjaud I, Dureau G. Fenofibrate, probucol, and other lipid-lowering treatments in heart transplant recipients. 1996;15:539-40 (Letter)
De Maria R, Minoli L, Parolini M, Gavazzeni G, Gentile M, Grossi P, Livi U, Parisi F, Utili R. Prognostic determinants of six-month morbidity and mortality in heart transplant recipients. 1996;15:124-35
Demedts M (*see* Linthoudt et al). 1996;15:1165 (Letter)
Demmler GJ (*see* Schowengerdt et al). 1996;15: 111-23
de Moraes AV (*see* Bocchi et al). 1996;15:736-45
Denfield SW (*see* Schowengerdt et al). 1996;15: 111-23
Dennis C (*see* Caine et al). 1996;15:1047-58
Dennis CM, McNeil KD, Dunning J, Stewart S, Friend PJ, Alexander G, Higenbottam TW, Calne RY, Wallwork J. Heart-lung-liver transplantation. 1996;15:536-8
DeNofrio D (*see* Drachman et al). 1996;15: 1158-64
Despatis M-A (*see* Bouchard et al). 1996;15:404-8
DeVito-Haynes LD, Jankowska-Gan E, Heisey D, Jutte NHPM, Balk AHMM, Weimar W, Claas FHJ, Warner TFC, Mentzer RM, Love RB, Burlingham WJ. Donor-derived human leukocyte antigen class I proteins in the serum of heart transplant recipients. 1996;15:1012-26
Dew MA, Roth LH, Thompson ME, Kormos RL, Griffith BP. Medical compliance and its predictors in the first year after heart transplantation. 1996;15:631-45
Dickstein ML, Burkhoff D. A theoretic analysis of the effect of pulmonary vasodilation on pulmonary venous pressure: implications for inhaled nitric oxide therapy. 1996;15:715-21
Diez JL (*see* Oteo et al). 1996;15:322-4 (Letter)
Dion R (*see* Jacquet et al). 1996;15:620-2
Di Salvo T (*see* McNamara et al). 1996;15:506-15
DiSesa VJ (*see* Shen et al). 1996;15:1034-8
Djøseland O (*see* Gullestad et al). 1996;15:304-13
Dobbs B (*see* Herrington et al). 1996;15:88-93
Dock WI (*see* Dorffner et al). 1996;15:846-9
Doran H (*see* El-Gamel et al). 1996;15:319-21 (Letter)
Dorffner R, Metz VM, Eibenberger KL, Dock WI, Hörmann M, Buxbaum P, Grabenwöger F. Pseudopericardial effusions in heart transplant recipients. 1996;15:846-9
Doty DB (*see* Taylor et al). 1996;15:1039-46
Drachman BM, DeNofrio D, Acker MA, Galetta S, Loh E. Cortical blindness secondary to cyclosporine after orthotopic heart transplantation: a case report and review of the literature. 1996;15:1158-64
Drinkwater DC, Laks H, Blitz A, Kobashigawa J, Sabad A, Moriguchi J, Hamilton M. Outcomes of patients undergoing transplantation with older donor hearts. 1996;15:684-91
Du ZY, Hicks M, Winlaw D, Spratt P, Macdonald P. Ischemic preconditioning enhances donor lung preservation in the rat. 1996;15:1258-67
Duffy CE (*see* Gotteiner et al). 1996;15:596-604
Dunning J (*see* Dennis et al). 1996;15:536-8
Duquesnoy RJ (*see* Liu et al). 1996;15:222-8
Dureau G (*see* de Lorgeril et al). 1996;15:539-40 (Letter)
Dusmet M, Maurer J, Winton T, Kesten S. Methotrexate can halt the progression of bronchiolitis obliterans syndrome in lung transplant recipients. 1996;15:948-54
– –, Winston TL, Kesten S, Maurer J. Previous intrapleural procedures do not adversely affect lung transplantation. 1996;15:249-54
Dutheil V (*see* Girard et al). 1996;15:700-8
Duveau D (*see* Copeland et al). 1996;15:94-9
Dyckman W (*see* Chen et al). 1996;15:395-403

E

Edelman RR (*see* Davis et al). 1996;15:580-6
Egan J (*see* El-Gamel et al). 1996;15:315-6 (Letter)
Egan JJ, Sarker S, Hasleton PS, Woodcock AA,

Yonan N, Deiraniya AK. Should cryptogenic organizing pneumonia be included in the classification of pulmonary allograft rejection? 1996;15:1268-9 (Letter)
Egan TM (*see* D'Armini et al). 1996;15:496-505
—— (*see* Roberts et al). 1996;15:275-82
Eibenberger KL (*see* Dorffner et al). 1996;15:846-9
Eisenhofer G (*see* Rundqvist et al). 1996;15:516-26
Ekroth R (*see* Scherstén et al). 1996;15:556-63
Elam M (*see* Rundqvist et al). 1996;15:516-26
El-Gamel A, Deiraniya AK, Rahman AN, Campbell CS, Yonan NA. Orthotopic heart transplantation hemodynamics: Does atrial preservation improve cardiac output after transplantation? 1996;15:564-71
——, Doran H, Rahman A, Deiraniya A, Campbell C, Yonan N. Clinical importance of grade 2 cellular heart rejection. 1996;15:319-21 (Letter)
——, Egan J, Rahman A, Deiraniya AK, Yonan N. Application of pulmonary vein gas analysis: a novel approach which may increase the pool of potential lung transplant donors. 1996;15:315-6 (Letter)
El Oakley RM, Yonan NA, Simpson BM, Deiraniya AK. Extended criteria for cardiac allograft donors: a consensus study. 1996;15:255-9
Ensley RD (*see* Renlund et al). 1996;15:16-24
Esato K (*see* Nawata et al). 1996;15:470-4
Esmore D (*see* Snell et al). 1996;15:160-8
Esmore DS (*see* Rabinov et al). 1996;15:243-8
—— (*see* Smith et al). 1996;15:324-5 (Letter)
Expósito C (*see* Oteo et al). 1996;15:322-4 (Letter)

F

Fabel H (*see* Hohlfeld et al). 1996;15:888-94
Fargnoli JM (*see* Girard et al). 1996;15:700-8
Favaloro R (*see* Laguens et al). 1996;15:911-8
Fernández-González AL, Panizo-Santos A. Eosinophilic myocarditis in heart transplant candidates. 1996;15:852 (Letter)
Fietze E (*see* Grauhan et al). 1996;15:136-43
Fiol B (*see* Hosenpud et al). 1996;15:655-74 (Registry)
Fiorelli A (*see* Bocchi et al). 1996;15:736-45
Fiorelli AI (*see* Auler et al). 1996;15:443-50
Fischer F (*see* Fukuse et al). 1996;15:903-10
Fishbein MC (*see* Tixier et al). 1996;15:919-27
Fisher RA (*see* Goggins et al). 1996;15:790-5
Fisher S (*see* Grady et al). 1996;15:863-71
Foegh ML (*see* Lou et al). 1996;15:1248-57
Follath F (*see* Vassalli et al). 1996;15:612-9
Fornes P, Heudes D, Simon D, Guillemain R, Amrein C, Bruneval P. Influence of acute or chronic rejection on myocardial collagen density in serial endomyocardial biopsy specimens from cardiac allografts. 1996;15:796-803
Fowler M (*see* Gullestad et al). 1996;15:1075-83
Frazier OH (*see* Schowengerdt et al). 1996;15:111-23
Freigassner M (*see* Iberer et al). 1996;15:314-5 (Letter)
Freimark D, Aleksic I, Trento A, Takkenberg JJM, Valenza M, Admon D, Blanche C, Queral CA, Azen CG, Czer LSC. Hearts from donors with chronic alcohol use: a possible risk factor for death after heart transplantation. 1996;15:150-9
Friberg P (*see* Rundqvist et al). 1996;15:516-26
Fricker FJ (*see* Asante-Korang et al). 1996;15:415-22
Friend PJ (*see* Dennis et al). 1996;15:536-8
Fujii Y (*see* Yoon et al). 1996;15:605-11
Fukuse T, Albes JM, Wilhelm A, Bando T, Fischer F, Hausen B, Rohde R, Wahlers T, Schäfers H-J. Influence of dextrans on lung preservation: Is the molecular weight important? 1996;15:903-10

G

Gajarski RJ (*see* Schowengerdt et al). 1996;15:111-23
Galetta S (*see* Drachman et al). 1996;15:1158-64
Gallagher RC (*see* Chen et al). 1996;15:395-403
Gallino A (*see* Vassalli et al). 1996;15:612-9
Gao L, Woo J, Buelow R. Both L- and D-isomers of Allotrap 2702 prolong cardiac allograft survival in mice. 1996;15:78-87
Gao S-Z (*see* Liang et al). 1996;15:980-7
Garnier D (*see* Babuty et al). 1996;15:1120-9
Garrity ER (*see* Saint Martin et al). 1996;15:1217-22
Gatewood LB, Larson DF, Bowers MC, Bond S, Cardy A, Sethi GK, Copeland JG. A novel mechanism for cyclosporine: inhibition of myocardial ischemia and reperfusion injury in a heterotopic rabbit heart transplant model. 1996;15:936-47
Gavazzeni G (*see* De Maria et al). 1996;15:124-35
Gay WA Jr (*see* Taylor et al). 1996;15:1039-46
Geiran O (*see* Gullestad et al). 1996;15:304-13
—— (*see* Gullestad et al). 1996;15:1075-83
—— (*see* Hartmann et al). 1996;15:972-9

Gentile M (*see* De Maria et al). 1996;15:124-35
George JF (*see* Lagoo et al). 1996;15:206-17
Gilbert EM (*see* Renlund et al). 1996;15:16-24
Girard C, Fargnoli JM, Godin-Ribuot D, Dutheil V, Maitrasse B, Girardet P, Arvieux CC. Inhaled nitric oxide: effects on hemodynamics, myocardial contractility, and regional blood flow in dogs with mechanically induced pulmonary artery hypertension. 1996;15:700-8
Girardet P (*see* Girard et al). 1996;15:700-8
Girgis RE, Tu I, Berry GJ, Reichenspurner H, Valentine VG, Conte JV, Ting A, Johnstone I, Miller J, Robbins RC, Reitz BA, Theodore J. Risk factors for the development of obliterative bronchiolitis after lung transplantation. 1996; 15:1200-8
Godin-Ribuot D (*see* Girard et al). 1996;15:700-8
Goenen M (*see* Jacquet et al). 1996;15:620-2
Goggins WC, Fisher RA, Cohen DS, Tawes JW, Grimes MM. Effect of single-dose rapamycin-based immunosuppression on the development of cardiac allograft vasculopathy. 1996;15:790-5
Gojo S (*see* Sakaguchi et al). 1996;15:1101-7
Goldberg AD (*see* Levine et al). 1996;15:297-303
Goldsmith RL (*see* Morrone et al). 1996;15:423-9
Goldstein DJ (*see* Ashton et al). 1996;15:1151-7
Goldstein S (*see* Levine et al). 1996;15:297-303
González A (*see* Oteo et al). 1996;15:322-4 (Letter)
Gordon SM (*see* Chan et al). 1996;15:196-205
Gotteiner NL, Vonesh MJ, Crawford SE, Burns WR, Duffy CE, Zales VR, McPherson DD. Myocardial acoustics in pediatric allograft rejection. 1996;15:596-604
Grabenwöger F (*see* Dorffner et al). 1996;15: 846-9
Grady KL, Costanzo MR, Fisher S, Koch D. Preoperative obesity is associated with decreased survival after heart transplantation. 1996;15:863-71
——, Jalowiec A, White-Williams C. Improvement in quality of life in patients with heart failure who undergo transplantation. 1996;15: 749-57
Grasser B (*see* Iberer et al). 1996;15:314-5 (Letter)
Grauhan O, Müller J, Knosalla C, Cohnert T, Siniawski H, Volk H-D, Fietze E, Kupetz W, Hetzer R. Electric myocardial impedance registration in humoral rejection after heart transplantation. 1996;15:136-43
Gréen K (*see* Kimblad et al). 1996;15:999-1004
Gregory CR, Cooke JP, Patz JD, Berryman ER, Shorthouse R, Morris RE. Enhanced nitric oxide production induced by the administration of L-arginine does not inhibit arterial neointimal formation after overwhelming alloimmune injury. 1996;15:58-66
Griffin AK (*see* Lagoo et al). 1996;15:206-17
Griffith BP (*see* Dew et al). 1996;15:631-45
—— (*see* Komatsu et al). 1996;15:722-7
Griffith PK (*see* Roberts et al). 1996;15:275-82
Griffiths A (*see* Rabinov et al). 1996;15:243-8
Griffiths A (*see* Snell et al). 1996;15:160-8
Grimes MM (*see* Goggins et al). 1996;15:790-5
Grossi P (*see* De Maria et al). 1996;15:124-35
Guillemain R (*see* Fornes et al). 1996;15:796-803
Guldner NW, Siemens H-J, Schramm U, Kraatz E, Thuaudet S, Kuppe H, Sievers H-H. First clinical application of the MEDOS-HIA ventricular support system: monitoring of the thrombotic risk by means of the biomarker prothrombin fragment F_{1+2} and scanning electron microscopy evaluation. 1996;15:291-6
Gullestad L, Haywood G, Ross H, Bjornerheim R, Geiran O, Kjekshus J, Simonsen S, Fowler M. Exercise capacity of heart transplant recipients: the importance of chronotropic incompetence. 1996;15:1075-83
——, Myers J, Noddeland H, Bjørnerheim R, Djøseland O, Hall C, Geiran O, Kjekshus J, Simonsen S. Influence of the exercise protocol on hemodynamic, gas exchange, and neurohumoral responses to exercise in heart transplant recipients. 1996;15:304-13

H

Haas GJ (*see* Khot et al). 1996;15:350-9
Hall C (*see* Gullestad et al). 1996;15:304-13
Halloran PF, Miller LW. In vivo immunosuppressive mechanisms. 1996;15:959-71
Halwachs G, Iberer F, Pieber T, Müller H, Tscheliessnigg K, Tiran A, Sabin K, Wilders-Truschnig M. Troponin T as a marker for posttransplantation adaptational problems of the donor heart. 1996;15:451-5
—— (*see* Iberer et al). 1996;15:314-5 (Letter)
Hamilton M (*see* Drinkwater et al). 1996;15: 684-91
Hamm H (*see* Hohlfeld et al). 1996;15:888-94
Hammond EH (*see* Taylor et al). 1996;15:1039-46
Hardy KJ (*see* Lagoo et al). 1996;15:206-17
Harjula A (*see* Lauerma et al). 1996;15:360-7
Harjula ALJ (*see* Ikonen et al). 1996;15:587-95
Harrison JK (*see* Hearne et al). 1996;15:532-5
Hartmann A, Andreassen AK, Holdaas H, Si-

monsen S, Geiran O, Berg KJ. Five years' follow-up of renal glomerular and tubular functions in heart transplant recipients. 1996;15: 972-9
Harvey J (*see* Patterson et al). 1996;15:175-81
Hasleton PS (*see* Egan et al). 1996;15:1268-9 (Letter)
Hausen B (*see* Fukuse et al). 1996;15:903-10
Haverich A (*see* You et al). 1996;15:1108-19
Hawkins PN, Pepys MB. Role of heart transplantation in systemic amyloidosis. 1996;15:321-2 (Letter)
Haywood G (*see* Gullestad et al). 1996;15:1075-83
Hearne SE, O'Laughlin MP, Davis RD, Baker WA, Bashore TM, Harrison JK. Total pulmonary artery occlusion immediately after lung transplantation: successful revascularization with intravascular stents. 1996;15:532-5
Heikkilä L (*see* Ikonen et al). 1996;15:587-95
— — (*see* Kukkonen et al). 1996;15:409-14
Heisey D (*see* DeVito-Haynes et al). 1996;15: 1012-26
Hennington MH (*see* Roberts et al). 1996;15: 275-82
Herrington DM, Nanjee N, Achuff SC, Cameron DE, Dobbs B, Baughman KL. Dehydroepiandrosterone and cardiac allograft vasculopathy. 1996;15:88-93
Hertz MI (*see* Cahill et al). 1996;15:1130-7
Hetzer R (*see* Grauhan et al). 1996;15:136-43
— — (*see* Knosalla et al). 1996;15:827-39
Heudes D (*see* Fornes et al). 1996;15:796-803
Hicks M (*see* Du et al). 1996;15:1258-67
Hiesmayer M (*see* Wekerle et al). 1996;15:182-9
Hiesmayr M (*see* Wisser et al). 1996;15:239-42
Higenbottam T (*see* Yeatman et al). 1996;15:144-9
Higenbottam TW (*see* Caine et al). 1996;15: 1047-58
— — (*see* Dennis et al). 1996;15:536-8
Hipmair G (*see* Iberer et al). 1996;15:314-5 (Letter)
Hiroe M (*see* Amano et al). 1996;15:1027-33
Hirose H (*see* Ishikawa et al). 1996;15:1005-11
Hirsch R, Huddleston CB, Mendeloff EN, Sekarski TJ, Canter CE. Infant and donor organ growth after heart transplantation in neonates with hypoplastic left heart syndrome. 1996;15: 1093-1100
Hisahara M (*see* Tanoue et al). 1996;15:43-50
Hisamochi K (*see* Takagaki et al). 1996;15:527-31
Hobbs RE (*see* Smart et al). 1996;15:329-41
Hofmeister J (*see* Knosalla et al). 1996;15:827-39
Hohlfeld J, Niedermeyer J, Hamm H, Schäfers HJ, Wagner TOF, Fabel H. Seasonal onset of bronchiolitis obliterans syndrome in lung transplant recipients. 1996;15:888-94
Holdaas H (*see* Hartmann et al). 1996;15:972-9
Hooper TL (*see* Hopkinson et al). 1996;15:283-90
Hopkins WE, Ochoa LL, Richardson GW, Trulock EP. Comparison of the hemodynamics and survival of adults with severe primary pulmonary hypertension or Eisenmenger syndrome. 1996;15:100-5
Hopkinson DN, Bhabra MS, Odom NJ, Bridgewater BJM, van Doorn CAM, Hooper TL. Controlled pressure reperfusion of rat pulmonary grafts yields improved function after twenty-four–hours' cold storage in University of Wisconsin solution. 1996;15:283-90
Horley KJ (*see* Lin et al). 1996;15:1223-32
— — (*see* Lin et al). 1996;15:1233-47
Hörmann M (*see* Dorffner et al). 1996;15:846-9
Hosenpud JD, Novick RJ, Bennett LE, Keck BM, Fiol B, Daily OP. The Registry of the International Society for Heart and Lung Transplantation: thirteenth official report—1996. 1996; 15:655-74 (Registry)
— — (*see* Mauck and Hosenpud). 1996;15:709-14
Hruban RH (*see* Yousem et al). 1996;15:1-15
Huang C-h (*see* Mehra et al). 1996;15:51-7
Huddleston CB (*see* Bridges et al). 1996;15:895-902
— — (*see* Hirsch et al). 1996;15:1093-1100
— — (*see* Santos-Ocampo et al). 1996;15:25-34
Huie P (*see* Pattison et al). 1996;15:1194-9
Hullett DA. Gene therapy in transplantation. 1996;15:857-62
Hülsmann M (*see* Wutte et al). 1996;15:317-8 (Letter)
Hummel M (*see* Knosalla et al). 1996;15:827-39
Husain AN (*see* Saint Martin et al). 1996;15: 1217-22
— — (*see* Yousem et al). 1996;15:1-15
Hutten H (*see* Auer et al). 1996;15:993-8
Huwez F (*see* Stewart et al). 1996;15:646-9

I

Iannini JP, Spinale FG. The identification of contributory mechanisms for the development and progression of congestive heart failure in animal models. 1996;15:1138-50
Iberer F, Tscheliessnigg K, Halwachs G, Auer T, Wasler A, Petutschnigg B, Schreier G, Müller H, Allmayr T, Prenner G, Hipmair G, Grasser B, Freigassner M. Cytomegalovirus antigenemia as a marker for antiviral therapy after

heart transplantation. 1996;15:314-5 (Letter)
— — (*see* Auer et al). 1996;15:993-8
— — (*see* Halwachs et al). 1996;15:451-5
Ignatescu M (*see* Lin et al). 1996;15:1223-32
Ikonen T, Kivisaari L, Harjula ALJ, Lehtola A, Heikkilä L, Kinnula VL, Kyösola K, Savola J, Sipponen J, Verkkala K, Mattila SP. Value of high-resolution computed tomography in routine evaluation of lung transplantation recipients during development of bronchiolitis obliterans syndrome. 1996;15:587-95
Ishikawa M, Hirose H, Sasaki E, Bando M, Mori Y, Murakawa S. Evaluation of myocardial viability during simple cold storage with the use of electrical properties in broad frequencies. 1996;15:1005-11
Ishiyama S (*see* Amano et al). 1996;15:1027-33

J

Jacquet L, Dion R, Noirhomme P, Van Dijck M, Goenen M. Successful bridge to retransplantation with the wearable Novacar left ventricular assist system. 1996;15:620-2
Jalowiec A (*see* Collins et al). 1996;15:623-30
— — (*see* Grady et al). 1996;15:749-57
Jankowska-Gan E (*see* DeVito-Haynes et al). 1996;15:1012-26
Janner D, Bork J, Baum M, Chinnock R. *Pneumocystis carinii* pneumonia in infants after heart transplantation. 1996;15:758-63
Järvinen V (*see* Lauerma et al). 1996;15:360-7
Jatene A (*see* Bocchi et al). 1996;15:736-45
Jatene AD (*see* Auler et al). 1996;15:443-50
Jeevanandam V (*see* McClurken et al). 1996;15:368-70
Jessurun J (*see* Cahill et al). 1996;15:1130-7
Johnstone I (*see* Girgis et al). 1996;15:1200-8
Jones KW (*see* Taylor et al). 1996;15:1039-46
Jonkman FAM (*see* van Gelder et al). 1996;15:650-1 (Letter)
Jutte NHPM (*see* DeVito-Haynes et al). 1996;15:1012-26

K

Kaneda Y (*see* Nawata et al). 1996;15:470-4
Kannam JP (*see* Davis et al). 1996;15:580-6
Kanter KR (*see* Kuno et al). 1996;15:389-94
Kardan A (*see* Armstrong et al). 1996;15:818-26
Karwande SV (*see* Taylor et al). 1996;15:1039-46
Kaski JC (*see* Vassalli et al). 1996;15:612-9
Katz N (*see* Lou et al). 1996;15:1248-57
Kawachi K (*see* Sakaguchi et al). 1996;15:1101-7
Kawachi Y (*see* Tanoue et al). 1996;15:43-50
Kawaharada N (*see* Komatsu et al). 1996;15:722-7
Kawashima Y (*see* Shimada et al). 1996;15:485-95
Kearney D (*see* Schowengerdt et al). 1996;15:111-23
Keck BM (*see* Hosenpud et al). 1996;15:655-74 (Registry)
Keck S (*see* McNamara et al). 1996;15:506-15
Kendall SWH (*see* Bittner et al). 1996;15:764-77
Keogh A, Morgan G, Macdonald P, Spratt P, Mundy J, McCosker C. Total lymphoid irradiation for resistant rejection after heart transplantation: only moderate success medium-term. 1996;15:231-3
Keon WJ (*see* Copeland et al). 1996;15:94-9
Keshavjee SH (*see* Tremblay et al). 1996;15:260-8
Kesten S, Chamberlain D, Maurer J. Yield of surveillance transbronchial biopsies performed beyond two years after lung transplantation. 1996;15:384-8
— — (*see* Dusmet et al). 1996;15:249-54
— — (*see* Dusmet et al). 1996;15:948-54
Keto P (*see* Lauerma et al). 1996;15:360-7
Kevelaitis E, Mouas C, Menasché P. Poststorage diastolic abnormalities of heart transplants: Is vascular dysfunction or myocardial contracture the culprit? 1996;15:461-9
Khot UN, Binkley PF, Haas GJ, Starling RC. Prospective study of the circadian pattern of blood pressure after heart transplantation. 1996;15:350-9
Khoury W (*see* Tamisier et al). 1996;15:190-5
Kimblad PO, Gréen K, Sjöberg T, Steen S. Prostanoid release after lung transplantation. 1996;15:999-1004
King RC (*see* Binns et al). 1996;15:1084-92
Kinnula VL (*see* Ikonen et al). 1996;15:587-95
Kiowski W (*see* Vassalli et al). 1996;15:612-9
Kirby TJ (*see* Chan et al). 1996;15:196-205
Kirklin JK (*see* Lagoo et al). 1996;15:206-17
— — (*see* Smart et al). 1996;15:329-41
Kirnö K (*see* Scherstén et al). 1996;15:556-63
Kitamura S (*see* Sakaguchi et al). 1996;15:1101-7
Kivisaari L (*see* Ikonen et al). 1996;15:587-95
Kjekshus J (*see* Gullestad et al). 1996;15:304-13
— — (*see* Gullestad et al). 1996;15:1075-83
Kjellström C (*see* Scherstén et al). 1996;15:556-63
Kleinert R (*see* Auer et al). 1996;15:993-8
Klepetko W (*see* Wekerle et al). 1996;15:182-9
— — (*see* Wisser et al). 1996;15:239-42
— — (*see* Wisser et al). 1996;15:1209-16
Knosalla C, Weng Y, Warnecke H, Hummel M, Yankah AC, Hofmeister J, Hetzer R. Mycotic aortic aneurysms after orthotopic heart trans-

plantation: a three-case report and review of the literature. 1996;15:827-39
— — (*see* Grauhan et al). 1996;15:136-43
Kobashigawa J (*see* Drinkwater et al). 1996;15:684-91
Kobayashi S (*see* Sakaguchi et al). 1996;15:1101-7
Koch D (*see* Grady et al). 1996;15:863-71
Kodama T (*see* Lou et al). 1996;15:1248-57
Komatsu K, Youm W, Konishi H, Kawaharada N, Yousem SA, Murase N, Griffith BP, Pham SM. Prolonged survival of hamster-to-rat pulmonary xenografts by tacrolimus (FK506) and cyclophosphamide. 1996;15:722-7
Konishi H (*see* Komatsu et al). 1996;15:722-7
Kormos RL (*see* Dew et al). 1996;15:631-45
Kraatz E (*see* Guldner et al). 1996;15:291-6
Krensky AM (*see* Pattison et al). 1996;15:1194-9
Kron IL (*see* Binns et al). 1996;15:1084-92
Kroshus TJ (*see* Kshettry et al). 1996;15:169-74
Kshettry VR, Kroshus TJ, Burdine J, Savik K, Bolman RM III. Does donor organ ischemia over four hours affect long-term survival after lung transplantation? 1996;15:169-74
Kukkonen S, Heikkilä L, Verkkala K, Mattila S, Toivonen H. Thromboxane receptor blockade does not attenuate pulmonary pressor response in porcine single lung transplantation. 1996;15:409-14
Kuno R, Kanter KR, Torres WE, Lawrence EC. Single lung transplantation followed by contralateral bullectomy for bullous emphysema. 1996;15:389-94
Kupari M (*see* Lauerma et al). 1996;15:360-7
Kupetz W (*see* Grauhan et al). 1996;15:136-43
Kuppe H (*see* Guldner et al). 1996;15:291-6
Kyösola K (*see* Ikonen et al). 1996;15:587-95

L

Lagoo AS, George JF, Naftel DC, Griffin AK, Kirklin JK, Lagoo-Deenadayalan S, Hardy KJ, Savunen T, McGiffin DC. Semiquantitative measurement of cytokine messenger RNA in endomyocardium and peripheral blood mononuclear cells from human heart transplant recipients. 1996;15:206-17
Lagoo-Deenadayalan S (*see* Lagoo et al). 1996;15:206-17
Laguens RP, Cabeza Meckert PM, San Martino J, Perrone S, Favaloro R. Identification of programmed cell death (apoptosis) in situ by means of specific labeling of nuclear DNA fragments in heart biopsy samples during acute rejection episodes. 1996;15:911-8
Laks H (*see* Drinkwater et al). 1996;15:684-91
Lappé D (*see* Taylor et al). 1996;15:1039-46
Larson DF (*see* Gatewood et al). 1996;15:936-47
Lauerma K, Harjula A, Järvinen V, Kupari M, Keto P. Assessment of right and left atrial function in patients with transplantated hearts with the use of magnetic resonance imaging. 1996;15:360-7
Laufer G (*see* Wisser et al). 1996;15:239-42
Lawrence EC (*see* Kuno et al). 1996;15:389-94
Le Bidois J (*see* Tamisier et al). 1996;15:190-5
Leca F (*see* Tamisier et al). 1996;15:190-5
Lehtola A (*see* Ikonen et al). 1996;15:587-95
Lemasters JJ (*see* D'Armini et al). 1996;15:496-505
— — (*see* Roberts et al). 1996;15:275-82
Lerut T (*see* Linthoudt et al). 1996;15:1165 (Letter)
Lesch M (*see* Levine et al). 1996;15:297-303
Leung T-K (*see* Bouchard et al). 1996;15:404-8
Levin HR, Oz MC, Catanese KA, Rose EA, Burkhoff D. Transient normalization of systolic and diastolic function after support with a left ventricular assist device in a patient with dilated cardiomyopathy. 1996;15:840-2
— — (*see* Ashton et al). 1996;15:1151-7
— — (*see* Morrone et al). 1996;15:423-9
Levine AB (*see* Levine et al). 1996;15:297-303
Levine TB, Levine AB, Goldberg AD, Narins B, Goldstein S, Lesch M. Reversal of end-stage heart failure is predicted by long-term therapeutic response rather than initial hemodynamic and neurohormonal profile. 1996;15:297-303
— — (*see* Smart et al). 1996;15:329-41
Liang DH, Gao S-Z, Botas J, Pinto FJ, Schroeder JS, Alderman EL, Yeung AC. Prediction of angiographic disease by intracoronary ultrasonographic findings in heart transplant recipients. 1996;15:980-7
Limacher MC (*see* Braith et al). 1996;15:872-80
Lin H, Ignatescu M, Wilson JE, Roberts CR, Horley KJ, Winters GL, Costanzo MR, McManus BM. Prominence of apolipoproteins B, (a), and E in the intimae of coronary arteries in transplanted human hearts: geographic relationship to vessel wall proteoglycans. 1996;15:1223-32
— —, Wilson JE, Roberts CR, Horley KJ, Winters GL, Costanzo MR, McManus BM. Biglycan, decorin, and versican protein expression patterns in coronary arteriopathy of human cardiac allografts: distinctness as compared to native atherosclerosis. 1996;15:1233-47

— — (*see* Bolling et al). 1996;15:928-35
Lin SS, Platt JL. Immunologic barriers to xenotransplantation. 1996;15:547-55
Linthoudt H, Van Raemdonck D, Lerut T, Demedts M, Verleden G. The association of itraconazole and methylprednisolone may give rise to important steroid-related side effects. 1996;15:1165 (Letter)
Liu KL, Moliterno RA, Attfield D, Valdivia L, Duquesnoy RJ. Role of heat shock proteins in heart transplant rejection. 1996;15:222-8
Livi U (*see* De Maria et al). 1996;15:124-35
— — (*see* Milano et al). 1996;15:456-60
LoCicero J III (*see* Sasaki et al). 1996;15:35-42
Lodi R (*see* Sasaki et al). 1996;15:35-42
Loh E (*see* Drachman et al). 1996;15:1158-64
Lou H, Kodama T, Wang YN, Katz N, Ramwell P, Foegh ML. L-Arginine prevents heart transplant arteriosclerosis by modulating the vascular cell proliferative response to insulin-like growth factor-I and interleukin-6. 1996;15:1248-57
Love RB (*see* DeVito-Haynes et al). 1996;15:1012-26
Low HBC (*see* Chen et al). 1996;15:395-403
Lundin S (*see* Scherstén et al). 1996;15:556-63

M

Ma H (*see* Renlund et al). 1996;15:16-24
Macdonald P (*see* Du et al). 1996;15:1258-67
— — (*see* Keogh et al). 1996;15:231-3
Machet MC (*see* Babuty et al). 1996;15:1120-9
Madden BP, Blackhouse L, McClosky D, Reynolds L, Tait D, Murday A. Total lymphoid irradiation as rescue therapy after heart transplantation. 1996;15:234-8
Maitrasse B (*see* Girard et al). 1996;15:700-8
Maldonado B (*see* Mehra et al). 1996;15:51-7
Mallory GB (*see* Bridges et al). 1996;15:895-902
Mancini DM (*see* Aaronson and Mancini) (1995; 14:981-9). 1996;15:106-7 (Correction)
Manning WJ (*see* Davis et al). 1996;15:580-6
Mansur A (*see* Bocchi et al). 1996;15:736-45
Marchevsky A (*see* Yousem et al). 1996;15:1-15
Marek CA (*see* Binns et al). 1996;15:1084-92
Martinez EE (*see* Almeida et al). 1996;15:988-92
Marumo F (*see* Amano et al). 1996;15:1027-33
Masters R (*see* Copeland et al). 1996;15:94-9
Mather PJ (*see* McClurken et al). 1996;15:368-70
Mathier M (*see* McNamara et al). 1996;15:506-15
Matsuda H (*see* Yoon et al). 1996;15:605-11
Matsumura A (*see* Yoon et al). 1996;15:605-11
Mattila S (*see* Kukkonen et al). 1996;15:409-14
Mattila SP (*see* Ikonen et al). 1996;15:587-95
Mauck KA, Hosenpud JD. The bronchial epithelium: a potential allogeneic target for chronic rejection after lung transplantation. 1996;15:709-14
Maurer J (*see* Dusmet et al). 1996;15:249-54
— — (*see* Dusmet et al). 1996;15:948-54
— — (*see* Kesten et al). 1996;15:384-8
Mauriat P (*see* Tamisier et al). 1996;15:190-5
Mavroudis C (*see* Takami et al). 1996;15:67-77
McClosky D (*see* Madden et al). 1996;15:234-8
McClurken JB, Todd BA, Mather PJ, Pina I, Bove AA, Addonizio VP, Jeevanandam V. Recipient-donor atrial synchronization benefits acute hemodynamics after orthotopic heart transplantation. 1996;15:368-70
McCosker C (*see* Keogh et al). 1996;15:231-3
McCully J (*see* Sasaki et al). 1996;15:35-42
McGiffin DC (*see* Lagoo et al). 1996;15:206-17
McManus BM (*see* Lin et al). 1996;15:1223-32
— — (*see* Lin et al). 1996;15:1233-47
— — (*see* Winters and McManus). 1996;15:728-35
McNamara D, Di Salvo T, Mathier M, Keck S, Semigran M, Dec GW. Left ventricular dysfunction after heart transplantation: incidence and role of enhanced immunosuppression. 1996;15:506-15
McNeil K (*see* Yeatman et al). 1996;15:144-9
McNeil KD (*see* Dennis et al). 1996;15:536-8
McPherson DD (*see* Gotteiner et al). 1996;15:596-604
Mehra MR, Stapleton DD, Cook JL, Zhang T, Ventura HO, Huang C-h, Maldonado B, Smart FW, Ré RN, Murgo JP, Barbee RW. Adenovirus-mediated in vivo gene transfer in a rabbit model of allograft vasculopathy. 1996;15:51-7
Mehta AC (*see* Chan et al). 1996;15:196-205
Menasché P (*see* Kevelaitis et al). 1996;15:461-9
Mendeloff EN (*see* Hirsch et al). 1996;15:1093-1100
Mentzer RM (*see* DeVito-Haynes et al). 1996;15:1012-26
Merz M (*see* Park et al). 1996;15:572-9
Mestrinho BV (*see* Tremblay et al). 1996;15:260-8
Métras D (*see* Ambrosi et al). 1996;15:540-1 (Letter)
Metz VM (*see* Dorffner et al). 1996;15:846-9
Milano A, Caforio ALP, Livi U, Bauce B, Angelini A, Casarotto D, Thiene G. Evolution of focal moderate (International Society for Heart and Lung Transplantation Grade 2) rejection of the cardiac allograft. 1996;15:456-60

Miller J (*see* Girgis et al). 1996;15:1200-8
Miller LW (*see* Halloran and Miller). 1996;15: 959-71
Miller SA (*see* Asante-Korang et al). 1996;15: 415-22
Miller VM (*see* Scherstén et al). 1996;15:556-63
Mills RM Jr (*see* Braith et al). 1996;15:872-80
— — (*see* Normann et al). 1996;15:778-89
Minami M (*see* Yoon et al). 1996;15:605-11
Minoli L (*see* De Maria et al). 1996;15:124-35
Miyamoto K (*see* Tanoue et al). 1996;15:43-50
Miyasaka M (*see* Amano et al). 1996;15:1027-33
Mizuta T (*see* Yoon et al). 1996;15:605-11
Mochtar B (*see* Baan et al). 1996;15:1184-93
Mohajeri M (*see* Smith et al). 1996;15:324-5 (Letter)
Mohiuddin M (*see* Shen et al). 1996;15:1034-8
Moidl R (*see* Wekerle et al). 1996;15:182-9
Moliterno RA (*see* Liu et al). 1996;15:222-8
Monjaud I (*see* de Lorgeril et al). 1996;15:539-40 (Letter)
Moreira LF (*see* Bocchi et al). 1996;15:736-45
Morgan G (*see* Keogh et al). 1996;15:231-3
Mori Y (*see* Ishikawa et al). 1996;15:1005-11
Moriguchi J (*see* Drinkwater et al). 1996;15: 684-91
Morimoto T (*see* Takagaki et al). 1996;15:527-31
Morishita Y (*see* Ohtaki et al). 1996;15:269-74
Morita S (*see* Tanoue et al). 1996;15:43-50
Morling N (*see* Taaning et al). 1996;15:850-1
Morris RE (*see* Gregory et al). 1996;15:58-66
Morrone TM, Buck LA, Catanese KA, Goldsmith RL, Cahalin LP, Oz MC, Levin HR. Early progressive mobilization of patients with left ventricular assist devices is safe and optimizes recovery before heart transplantation. 1996;15: 423-9
Mortensen SA (*see* Taaning et al). 1996;15:850-1
Mouas C (*see* Kevelaitis et al). 1996;15:461-9
Müller H (*see* Halwachs et al). 1996;15:451-5
— — (*see* Iberer et al). 1996;15:314-5 (Letter)
Müller J (*see* Grauhan et al). 1996;15:136-43
Mundy J (*see* Keogh et al). 1996;15:231-3
Murakawa S (*see* Ishikawa et al). 1996;15:1005-11
Murase N (*see* Komatsu et al). 1996;15:722-7
Murday A (*see* Madden et al). 1996;15:234-8
Murgo JP (*see* Mehra et al). 1996;15:51-7
Myers J (*see* Gullestad et al). 1996;15:304-13

N

Naftel DC. Do multiinstitutional studies represent a higher level of research than single institution studies? 1996;15:229-30 (Editorial)
— — (*see* Lagoo et al). 1996;15:206-17
— — (*see* Smart et al). 1996;15:329-41
Naik S (*see* Stewart et al). 1996;15:646-9
Nakahara K (*see* Yoon et al). 1996;15:605-11
Nanjee N (*see* Herrington et al). 1996;15:88-93
Narins B (*see* Levine et al). 1996;15:297-303
Nawata K (*see* Nawata et al). 1996;15:470-4
Nawata S, Sugi K, Ueda K, Nawata K, Kaneda Y, Esato K. Prostacyclin analog OP2507 prevents pulmonary arterial and airway constriction during lung preservation and reperfusion. 1996; 15:470-4
Nelson PJ (*see* Pattison et al). 1996;15:1194-9
Ni J (*see* Schowengerdt et al). 1996;15:111-23
Nichols GE (*see* Binns et al). 1996;15:1084-92
Niedermeyer J (*see* Hohlfeld et al). 1996;15: 888-94
Niesters HGM (*see* Baan et al). 1996;15:1184-93
— — (*see* van Gelder et al). 1996;15:650-1 (Letter)
Nikolic B, Sykes M. Clonal deletion as a mechanism of transplantation tolerance. 1996;15: 1171-8
Nilsson F (*see* Scherstén et al). 1996;15:556-63
Nishida T (*see* Tanoue et al). 1996;15:43-50
Nishikawa T (*see* Amano et al). 1996;15:1027-33
Niwaya K (*see* Sakaguchi et al). 1996;15:1101-7
Noddeland H (*see* Gullestad et al). 1996;15:304-13
Noirhomme P (*see* Jacquet et al). 1996;15:620-2
Normann SJ, Peck AB, Staples ED, Salomon DR, Mills RM Jr. Experimental and clinical allogeneic heart transplant rejection: correlations between histology and immune reactivity detected by cytokine messenger RNA. 1996;15: 778-89
Novick RJ (*see* Hosenpud et al). 1996;15:655-74 (Registry)

O

Ochiai Y (*see* Tanoue et al). 1996;15:43-50
Ochoa LL (*see* Hopkins et al). 1996;15:100-5
O'Connell JB (*see* Renlund et al). 1996;15:16-24
— — (*see* Taylor et al). 1996;15:1039-46
Odom NJ (*see* Hopkinson et al). 1996;15:283-90
Ogiwara H (*see* Ohtaki et al). 1996;15:269-74
Ohori NP (*see* Yousem et al). 1996;15:1-15
Ohta Y (*see* Amano et al). 1996;15:1027-33
Ohtaki A, Ogiwara H, Sakata K, Takahashi T, Morishita Y. Long-term heart preservation by the combined method of simple immersion and coronary perfusion. 1996;15:269-74
Oka T (*see* Shimada et al). 1996;15:485-95
Okada K, Yamashita C, Okada M, Okada M. Efficacy of oxygenated University of Wisconsin

solution containing endothelin-A receptor antagonist in twenty-four–hour heart preservation. 1996;15:475-84
Okada M (*see* Okada et al). 1996;15:475-84
— — (*see* Okada et al). 1996;15:475-84
O'Laughlin MP (*see* Hearne et al). 1996;15:532-5
Olivari M-T, Yancy CW, Rosenblatt RL. An individualized protocol is more accurate than a standard protocol for assessing exercise capacity after heart transplantation. 1996;15:1069-74
Orosz CG. Networked alloimmunity: a brief reexamination of some basic concepts in transplantation immunobiology. 1996;15:1063-8
O'Rourke MK (*see* Cahill et al). 1996;15:1130-7
Oteo JF, Alonso-Pulpón L, Diez JL, Camacho C, Expósito C, González A, Serrano-Fiz S. Microangiopathic hemolytic anemia secondary to cyclosporine therapy in a heart and liver transplant recipient. 1996;15:322-4 (Letter)
Oz MC (*see* Ashton et al). 1996;15:1151-7
— — (*see* Levin et al). 1996;15:840-2
— — (*see* Morrone et al). 1996;15:423-9

P

Pacher R (*see* Wutte et al). 1996;15:317-8 (Letter)
Pahl E (*see* Takami et al). 1996;15:67-77
Panizo-Santos A (*see* Fernández-González and Panizo-Santos). 1996;15:852 (Letter)
Parisi F (*see* De Maria et al). 1996;15:124-35
Park J-W, Merz M, Braun P, Vermeltfoort M. Lipid disorder and transplant coronary artery disease in long-term survivors of heart transplantation. 1996;15:572-9
Parolini M (*see* De Maria et al). 1996;15:124-35
Patel H (*see* Patterson et al). 1996;15:175-81
Patel HR (*see* Soghikian et al). 1996;15:881-7
— — (*see* Valentine et al). 1996;15:371-83
Patterson GM, Wilson S, Whang JL, Harvey J, Agacki K, Patel H, Theodore J. Physiologic definitions of obliterative bronchiolitis in heart-lung and double lung transplantation: a comparison of the forced expiratory flow between 25% and 75% of the forced vital capacity and forced expiratory volume in one second. 1996;15:175-81
Pattison JM, Nelson PJ, Huie P, Sibley RK, Krensky AM. RANTES chemokine expression in transplant-associated accelerated atherosclerosis. 1996;15:1194-9
Patz JD (*see* Gregory et al). 1996;15:58-66
Pavie A (*see* Copeland et al). 1996;15:94-9
Peck AB (*see* Normann et al). 1996;15:778-89
Pelletier GB (*see* Carrier et al). 1996;15:1179-83
— — (*see* Smart et al). 1996;15:329-41
Pelletier LC (*see* Carrier et al). 1996;15:1179-83
Pelletier S (*see* Shen et al). 1996;15:1034-8
Pepys MB (*see* Hawkins and Pepys). 1996;15:321-2 (Letter)
Pereira CAP (*see* Almeida et al). 1996;15:988-92
Perrone S (*see* Laguens et al). 1996;15:911-8
Petras RE (*see* Chan et al). 1996;15:196-205
Pettersson A (*see* Scherstén et al). 1996;15:556-63
Pettersson G (*see* Taaning et al). 1996;15:850-1
Petutschnigg B (*see* Auer et al). 1996;15:993-8
— — (*see* Iberer et al). 1996;15:314-5 (Letter)
Pham SM (*see* Komatsu et al). 1996;15:722-7
Pieber T (*see* Halwachs et al). 1996;15:451-5
Pifarre R (*see* Copeland et al). 1996;15:94-9
Pileggi F (*see* Bocchi et al). 1996;15:736-45
Pina I (*see* McClurken et al). 1996;15:368-70
Pinto FJ (*see* Liang et al). 1996;15:980-7
Platt JL (*see* Lin and Platt). 1996;15:547-55
Prenner G (*see* Iberer et al). 1996;15:314-5 (Letter)
Price GD (*see* Taylor et al). 1996;15:1039-46

Q

Queral CA (*see* Freimark et al). 1996;15:150-9

R

Rabinov M, Esmore DS, Snell GI, Salamonsen RF, Griffiths A, Williams T. Reverse telescope anastomotic technique reduces the incidence of bronchial stricture. 1996;15:243-8
— — (*see* Smith et al). 1996;15:324-5 (Letter)
— — (*see* Snell et al). 1996;15:160-8
Radovancevic B (*see* Schowengerdt et al). 1996;15:111-23
Rahman A (*see* El-Gamel et al). 1996;15:315-6 (Letter)
Rahman AN (*see* El-Gamel et al). 1996;15:564-71
— — (*see* El-Gamel et al). 1996;15:319-21 (Letter)
Ramwell P (*see* Lou et al). 1996;15:1248-57
Ré RN (*see* Mehra et al). 1996;15:51-7
Reddy VB (*see* Saint Martin et al). 1996;15:1217-22
Reichenspurner H (*see* Conte et al). 1996;15:692-9
— — (*see* Girgis et al). 1996;15:1200-8
— — (*see* Valentine et al). 1996;15:371-83
Reiss GR (*see* Shen et al). 1996;15:1034-8
Reitz BA (*see* Conte et al). 1996;15:692-9
— — (*see* Girgis et al). 1996;15:1200-8
— — (*see* Valentine et al). 1996;15:371-83
Renlund DG, Taylor DO, Ensley RD, O'Connell JB, Gilbert EM, Bristow MR, Ma H, Yanowitz

FG. Exercise capacity after heart transplantation: influence of donor and recipient characteristics. 1996;15:16-24
— — (*see* Taylor et al). 1996;15:1039-46
Revillard J-P (*see* Bonnefoy-Berard and Revillard). 1996;15:435-42
Reynolds L (*see* Madden et al). 1996;15:234-8
Richardson GW (*see* Hopkins et al). 1996;15:100-5
Richens D (*see* Stewart et al). 1996;15:646-9
Ritter J (*see* Yousem et al). 1996;15:1-15
Robbins RC (*see* Conte et al). 1996;15:692-9
— — (*see* Girgis et al). 1996;15:1200-8
— — (*see* Soghikian et al). 1996;15:881-7
— — (*see* Valentine et al). 1996;15:371-83
Roberts CR (*see* Lin et al). 1996;15:1223-32
— — (*see* Lin et al). 1996;15:1233-47
Roberts CS, Hennington MH, D'Armini AM, Griffith PK, Lemasters JJ, Egan TM. Donor lungs from ventilated cadavers: impact of a free radical scavenger. 1996;15:275-82
— — (*see* D'Armini et al). 1996;15:496-505
Robinson JA (*see* Saint Martin et al). 1996;15:1217-22
Rohde R (*see* Fukuse et al). 1996;15:903-10
Rose AG, Cooper DKC. A histopathologic grading system of hyperacute (humoral, antibody-mediated) cardiac xenograft and allograft rejection. 1996;15:804-17
Rose EA (*see* Ashton et al). 1996;15:1151-7
— — (*see* Levin et al). 1996;15:840-2
Rose M. Cell-mediated responses to donor endothelium: reinterpretation of the data. 1996;15:853 (Letter)
Rose ML. Role of antibody and indirect antigen presentation in transplant-associated coronary artery vasculopathy. 1996;15:342-9
Rosenblatt RL (*see* Olivari et al). 1996;15:1069-74
Ross H (*see* Gullestad et al). 1996;15:1075-83
Roth LH (*see* Dew et al). 1996;15:631-45
Rouchet S (*see* Babuty et al). 1996;15:1120-9
Rundqvist B, Elam M, Eisenhofer G, Friberg P. Normalization of total body and regional sympathetic hyperactivity in heart failure after heart transplantation. 1996;15:516-26

S

Sabad A (*see* Drinkwater et al). 1996;15:684-91
Sabin K (*see* Halwachs et al). 1996;15:451-5
Saffitz JE (*see* Santos-Ocampo et al). 1996;15:25-34
Saint Martin GA, Reddy VB, Garrity ER, Simpson K, Robinson JA, Adent JK, Husain AN. Humoral (antibody-mediated) rejection in lung transplantation. 1996;15:1217-22
Sakaguchi H, Kitamura S, Kawachi K, Kobayashi S, Yoshida Y, Niwaya K, Gojo S. Preservation of myocardial function and metabolism at subzero nonfreezing temperature storage of the heart. 1996;15:1101-7
Sakalosky PE (*see* Bergen et al). 1996;15:843-5
Sakata K (*see* Ohtaki et al). 1996;15:269-74
Salamonsen RF (*see* Rabinov et al). 1996;15:243-8
Salamonsson R (*see* Snell et al). 1996;15:160-8
Salen P (*see* de Lorgeril et al). 1996;15:539-40 (Letter)
Salomon DR (*see* Normann et al). 1996;15:778-89
San Martino J (*see* Laguens et al). 1996;15:911-8
Sano S (*see* Takagaki et al). 1996;15:527-31
Santos-Ocampo SD, Sekarski TJ, Saffitz JE, Bridges ND, Huddleston CB, Spray TL, Canter CE. Echocardiographic characteristics of biopsy-proven cellular rejection in infant heart transplant recipients. 1996;15:25-34
Sarker S (*see* Egan et al). 1996;15:1268-9 (Letter)
Sasaki E (*see* Ishikawa et al). 1996;15:1005-11
Sasaki S, Alessandrini F, Lodi R, McCully J, LoCicero J III. Improvement of pulmonary graft after storage for twenty-four hours by in vivo administration of lazaroid U74389G: functional and morphologic analysis. 1996;15:35-42
Savik K (*see* Cahill et al). 1996;15:1130-7
— — (*see* Kshettry et al). 1996;15:169-74
Savola J (*see* Ikonen et al). 1996;15:587-95
Savunen T (*see* Lagoo et al). 1996;15:206-17
Schäfers HJ (*see* Fukuse et al). 1996;15:903-10
— — (*see* Hohlfeld et al). 1996;15:888-94
Schaldach M (*see* Auer et al). 1996;15:993-8
Scherstén H, Kirnö K, Ekroth R, Lundin S, Pettersson A, Kjellström C, Miller VM, Nilsson F. Impaired endothelium-mediated vasodilation in the peripheral vasculature of patients with acute pulmonary allograft rejection. 1996;15:556-63
Schlick W (*see* Wisser et al). 1996;15:239-42
Schowengerdt KO, Ni J, Denfield SW, Gajarski RJ, Radovancevic B, Frazier OH, Demmler GJ, Kearney D, Bricker JT, Towbin JA. Diagnosis, surveillance, and epidemiologic evaluation of viral infections in pediatric cardiac transplant recipients with the use of the polymerase chain reaction. 1996;15:111-23
Schramm U (*see* Guldner et al). 1996;15:291-6
Schreier G (*see* Auer et al). 1996;15:993-8
— — (*see* Iberer et al). 1996;15:314-5 (Letter)
Schroeder JS (*see* Liang et al). 1996;15:980-7

Sekarski TJ (*see* Hirsch et al). 1996;15:1093-1100
— — (*see* Santos-Ocampo et al). 1996;15:25-34
Semigran M (*see* McNamara et al). 1996;15: 506-15
Senbaclavaci Ö (*see* Wisser et al). 1996;15:1209-16
— — (*see* Wekerle et al). 1996;15:182-9
Serrano-Fiz S (*see* Oteo et al). 1996;15:322-4 (Letter)
Sethi GK (*see* Gatewood et al). 1996;15:936-47
Sharples LD (*see* Caine et al). 1996;15:1047-58
— — (*see* Yeatman et al). 1996;15:144-9
Shen Z, Pelletier S, Mohiuddin M, Yokoyama H, Reiss GR, DiSesa VJ. Different immune effects on cardiac allografts and xenografts induced by neonatal intrathymic inoculation with allogeneic and xenogeneic antigens. 1996;15:1034-8
Shimada Y, Yamamoto F, Yamamoto H, Oka T, Kawashima Y. Temperature-dependent cardioprotection of exogenous substrates in long-term heart preservation with continuous perfusion: twenty-four–hour preservation of isolated rat heart with St. Thomas' hospital solution containing glucose, insulin, and aspartate. 1996; 15:485-95
Shimizu N (*see* Takagaki et al). 1996;15:527-31
Shorthouse R (*see* Gregory et al). 1996;15:58-66
Sibley RK (*see* Pattison et al). 1996;15:1194-9
Siegel A (*see* Wutte et al). 1996;15:317-8 (Letter)
Siemens H-J (*see* Guldner et al). 1996;15:291-6
Sievers H-H (*see* Guldner et al). 1996;15:291-6
Simon D (*see* Fornes et al). 1996;15:796-803
Simonsen AC (*see* Taaning et al). 1996;15:850-1
Simonsen S (*see* Gullestad et al). 1996;15:304-13
— — (*see* Gullestad et al). 1996;15:1075-83
— — (*see* Hartmann et al). 1996;15:972-9
Simpson BM (*see* El Oakley et al). 1996;15:255-9
Simpson K (*see* Saint Martin et al). 1996;15: 1217-22
Siniawski H (*see* Grauhan et al). 1996;15:136-43
Sinnott JT (*see* Bergen et al). 1996;15:843-5
Sipponen J (*see* Ikonen et al). 1996;15:587-95
Sjöberg T (*see* Kimblad et al). 1996;15:999-1004
Slutsky AS (*see* Tremblay et al). 1996;15:260-8
Smart FW, Naftel DC, Costanzo MR, Levine TB, Pelletier GB, Yancy CW Jr, Hobbs RE, Kirklin JK, Bourge RC. Risk factors for early, cumulative, and fatal infections after heart transplantation: a multiinstitutional study. 1996;15:329-41
— — (*see* Mehra et al). 1996;15:51-7
Smith JA, Mohajeri M, Rabinov M, Esmore DS. Maldistribution of pneumoplegia in pulmonary allografts secondary to post-traumatic pulmonary thromboembolism. 1996;15:324-5 (Letter)
— — (*see* Yeatman et al). 1996;15:144-9
Smith RG (*see* Copeland et al). 1996;15:94-9
Snell GI, Rabinov M, Griffiths A, Williams T, Ugoni A, Salamonsson R, Esmore D. Pulmonary allograft ischemic time: an important predictor of survival after lung transplantation. 1996;15:160-8
— — (*see* Rabinov et al). 1996;15:243-8
Soghikian MV, Valentine VG, Berry GJ, Patel HR, Robbins RC, Theodore J. Impact of ganciclovir prophylaxis on heart-lung and lung transplant recipients. 1996;15:881-7
Spear GS. Eosinophilic myocarditis in heart transplant candidates. 1996;15:852-3 (Letter reply)
Spillenaar Bilgen EJ (*see* van Gelder et al). 1996;15:650-1 (Letter)
Spinale FG (*see* Iannini and Spinale). 1996;15: 1138-50
Spratt P (*see* Du et al). 1996;15:1258-67
Spratt P (*see* Keogh et al). 1996;15:231-3
Spray TL (*see* Bridges et al). 1996;15:895-902
— — (*see* Santos-Ocampo et al). 1996;15:25-34
Stanek B (*see* Wutte et al). 1996;15:317-8 (Letter)
Staples ED (*see* Normann et al). 1996;15:778-89
Stapleton DD (*see* Mehra et al). 1996;15:51-7
Starling RC, Boudoulas H. Left atrial dysfunction after orthotopic heart transplantation. 1996;15: 431-2 (Letter)
— — (*see* Armstrong et al). 1996;15:818-26
— — (*see* Khot et al). 1996;15:350-9
Steen S (*see* Kimblad et al). 1996;15:999-1004
Steinhoff G (*see* You et al). 1996;15:1108-19
Steinmüller C (*see* You et al). 1996;15:1108-19
Stewart MJ, Huwez F, Richens D, Naik S, Wheatley DJ. Infective endocarditis of the tricuspid valve in an orthotopic heart transplant recipient. 1996;15:646-9
Stewart S (*see* Dennis et al). 1996;15:536-8
— — (*see* Yeatman et al). 1996;15:144-9
— — (*see* Yousem et al). 1996;15:1-15
Stift A (*see* Wisser et al). 1996;15:239-42
Stillwell PC (*see* Chan et al). 1996;15:196-205
Stolf N (*see* Bocchi et al). 1996;15:736-45
Stolf NAG (*see* Auler et al). 1996;15:443-50
Strasburg KA (*see* Cahill et al). 1996;15:1130-7
Strauch AR (*see* Armstrong et al). 1996;15:818-26
Sugi K (*see* Nawata et al). 1996;15:470-4
Sunamori M (*see* Amano et al). 1996;15:1027-33
Suzuki A (*see* Amano et al). 1996;15:1027-33
Sykes M (*see* Nikolic and Sykes). 1996;15:1171-8

T

Taaning E, Morling N, Mortensen SA, Pettersson G, Simonsen AC. Severe hemolysis caused by graft-derived anti-B production after lung transplantation. 1996;15:850-1
Tait D (*see* Madden et al). 1996;15:234-8
Takagaki M, Hisamochi K, Morimoto T, Bando K, Sano S, Shimizu N. Successful transplantation of cadaver hearts harvested one hour after hypoxic cardiac arrest. 1996;15:527-31
Takahashi T (*see* Ohtaki et al). 1996;15:269-74
Takami H, Backer CL, Crawford SE, Pahl E, Mavroudis C. Diltiazem preserves direct vasodilator response but fails to suppress intimal proliferation in rat allograft coronary artery disease. 1996;15:67-77
Takkenberg JJM (*see* Freimark et al). 1996;15:150-9
Tamisier D, Vouhé P, Le Bidois J, Mauriat P, Khoury W, Leca F. Donor-recipient size matching in pediatric heart transplantation: a word of caution about small grafts. 1996;15:190-5
Tanaka H (*see* Amano et al). 1996;15:1027-33
Tanoue Y, Morita S, Ochiai Y, Zhang Q-W, Hisahara M, Miyamoto K, Nishida T, Kawachi Y, Tominaga R, Yasui H. Successful twenty-four–hour canine lung preservation with lazaroid U74500A. 1996;15:43-50
Tawes JW (*see* Goggins et al). 1996;15:790-5
Taylor DO, Bristow MR, O'Connell JB, Price GD, Hammond EH, Doty DB, Karwande SV, Gay WA Jr, Jones KW, Lappé D, Renlund DG. Improved long-term survival after heart transplantation predicted by successful early withdrawal from maintenance corticosteroid therapy. 1996;15:1039-46
—— (*see* Renlund et al). 1996;15:16-24
Tazelaar HD (*see* Yousem et al). 1996;15:1-15
Theodore J (*see* Conte et al). 1996;15:692-9
—— (*see* Girgis et al). 1996;15:1200-8
—— (*see* Patterson et al). 1996;15:175-81
—— (*see* Soghikian et al). 1996;15:881-7
—— (*see* Valentine et al). 1996;15:371-83
Thiene G (*see* Milano et al). 1996;15:456-60
Thompson ME (*see* Dew et al). 1996;15:631-45
Thuaudet S (*see* Guldner et al). 1996;15:291-6
Ting A (*see* Girgis et al). 1996;15:1200-8
Tiran A (*see* Halwachs et al). 1996;15:451-5
Tixier DB, Czer LSC, Fishbein MC, Blanche C, Admon D, Amador R, Albert GD, Trento A. Isolated coronary artery transplantation in pigs: a new model to study transplantation arteriosclerosis and humoral rejection. 1996;15:919-27
Todd BA (*see* McClurken et al). 1996;15:368-70
Todd TR (*see* Tremblay et al). 1996;15:260-8
Toivonen H (*see* Kukkonen et al). 1996;15:409-14
Tominaga R (*see* Tanoue et al). 1996;15:43-50
Torres WE (*see* Kuno et al). 1996;15:389-94
Tousoulis D (*see* Vassalli et al). 1996;15:612-9
Towbin JA (*see* Schowengerdt et al). 1996;15:111-23
Tremblay LN, Yamashiro T, DeCampos KN, Mestrinho BV, Slutsky AS, Todd TR, Keshavjee SH. Effect of hypotension preceding death on the function of lungs from donors with nonbeating hearts. 1996;15:260-8
Trento A (*see* Freimark et al). 1996;15:150-9
—— (*see* Tixier et al). 1996;15:919-27
Tribble CG (*see* Binns et al). 1996;15:1084-92
Trulock EP (*see* Hopkins et al). 1996;15:100-5
Tscheliessnigg K (*see* Auer et al). 1996;15:993-8
—— (*see* Halwachs et al). 1996;15:451-5
—— (*see* Iberer et al). 1996;15:314-5 (Letter)
Tschernko E (*see* Wekerle et al). 1996;15:182-9
Tu I (*see* Girgis et al). 1996;15:1200-8
Turina M (*see* Vassalli et al). 1996;15:612-9
Turka LA (*see* Bolling et al). 1996;15:928-35

U

Ueda K (*see* Nawata et al). 1996;15:470-4
Ugoni A (*see* Snell et al). 1996;15:160-8
Utili R (*see* De Maria et al). 1996;15:124-35

V

Valdivia L (*see* Liu et al). 1996;15:222-8
Valentine VG, Robbins RC, Berry GJ, Patel HR, Reichenspurner H, Reitz BA, Theodore J. Actuarial survival of heart-lung and bilateral sequential lung transplant recipients with obliterative bronchiolitis. 1996;15:371-83
—— (*see* Conte et al). 1996;15:692-9
—— (*see* Girgis et al). 1996;15:1200-8
—— (*see* Soghikian et al). 1996;15:881-7
Valenza M (*see* Freimark et al). 1996;15:150-9
Van Dijck M (*see* Jacquet et al). 1996;15:620-2
van Doorn CAM (*see* Hopkinson et al). 1996;15:283-90
van Gelder T, Jonkman FAM, Niesters HGM, Vuzevski VD, Spillenaar Bilgen EJ, Weimar W. Absence of Epstein-Barr virus involvement in an adult heart transplant recipient with an epitheloid leiomyosarcoma. 1996;15:650-1 (Letter)
Van Raemdonck D (*see* Linthoudt et al). 1996;15:1165 (Letter)
Van Trigt P (*see* Bittner et al). 1996;15:764-77

Vassalli G, Kaski JC, Tousoulis D, Kiowski W, Turina M, Follath F, Gallino A. Low-dose cyclosporine treatment fails to prevent coronary luminal narrowing after heart transplantation. 1996;15:612-9
Ventura HO (*see* Mehra et al). 1996;15:51-7
Verkkala K (*see* Ikonen et al). 1996;15:587-95
— — (*see* Kukkonen et al). 1996;15:409-14
Verleden G (*see* Linthoudt et al). 1996;15:1165 (Letter)
Vermeltfoort M (*see* Park et al). 1996;15:572-9
Vianna PVC (*see* Almeida et al). 1996;15:988-92
Volk H-D (*see* Grauhan et al). 1996;15:136-43
Vonesh MJ (*see* Gotteiner et al). 1996;15:596-604
Vouhé P (*see* Tamisier et al). 1996;15:190-5
Vuzevski VD (*see* van Gelder et al). 1996;15:650-1 (Letter)

W

Wagner TOF (*see* Hohlfeld et al). 1996;15:888-94
— — (*see* You et al). 1996;15:1108-19
Wahlers T (*see* Fukuse et al). 1996;15:903-10
Wallwork J (*see* Caine et al). 1996;15:1047-58
— — (*see* Dennis et al). 1996;15:536-8
— — (*see* Yeatman et al). 1996;15:144-9
Wang YN (*see* Lou et al). 1996;15:1248-57
Warnecke H (*see* Knosalla et al). 1996;15:827-39
Warner TFC (*see* DeVito-Haynes et al). 1996;15:1012-26
Wasler A (*see* Auer et al). 1996;15:993-8
— — (*see* Iberer et al). 1996;15:314-5 (Letter)
Webber SA (*see* Asante-Korang et al). 1996;15:415-22
Wei R-Q (*see* Bolling et al). 1996;15:928-35
Weimar W (*see* Baan et al). 1996;15:1184-93
— — (*see* DeVito-Haynes et al). 1996;15:1012-26
— — (*see* van Gelder et al). 1996;15:650-1 (Letter)
Weinberg AD (*see* Ashton et al). 1996;15:1151-7
Wekerle T, Klepetko W, Wisser W, Senbaklavaci Ö, Moidl R, Hiesmayer M, Tschernko E, Wolner E. Lung retransplantation: institutional report on a series of twenty patients. 1996;15:182-9
— — (*see* Wisser et al). 1996;15:239-42
— — (*see* Wisser et al). 1996;15:1209-16
Wells FC (*see* Yeatman et al). 1996;15:144-9
Weng Y (*see* Knosalla et al). 1996;15:827-39
Whang JL (*see* Patterson et al). 1996;15:175-81
Wheatley DJ (*see* Stewart et al). 1996;15:646-9
White M (*see* Carrier et al). 1996;15:1179-83
White-Williams C (*see* Collins et al). 1996;15:623-30
— — (*see* Grady et al). 1996;15:749-57
Wielopolski P (*see* Davis et al). 1996;15:580-6
Wilcox CS (*see* Braith et al). 1996;15:872-80
Wilders-Truschnig M (*see* Halwachs et al). 1996;15:451-5
Wilhelm A (*see* Fukuse et al). 1996;15:903-10
Williams T (*see* Rabinov et al). 1996;15:243-8
— — (*see* Snell et al). 1996;15:160-8
Wilson JE (*see* Lin et al). 1996;15:1223-32
— — (*see* Lin et al). 1996;15:1233-47
Wilson S (*see* Patterson et al). 1996;15:175-81
Winlaw D (*see* Du et al). 1996;15:1258-67
Winston TL (*see* Dusmet et al). 1996;15:249-54
Winters GL, McManus BM. Consistencies and controversies in the application of the International Society for Heart and Lung Transplantation working formulation for heart transplant biopsy specimens. 1996;15:728-35
— — (*see* Lin et al). 1996;15:1223-32
— — (*see* Lin et al). 1996;15:1233-47
Winton T (*see* Dusmet et al). 1996;15:948-54
Wisser W, Klepetko W, Wekerle T, Laufer G, Stift A, Hiesmayr M, Schlick W. Tailoring of the lung to overcome size disparities in lung transplantation. 1996;15:239-42
— —, Wekerle T, Zlabinger G, Senbaclavaci Ö, Zuckermann A, Klepetko W, Wolner E. Influence of human leukocyte antigen matching on long-term outcome after lung transplantation. 1996;15:1209-16
— — (*see* Wekerle et al). 1996;15:182-9
Wolner E (*see* Wekerle et al). 1996;15:182-9
— — (*see* Wisser et al). 1996;15:1209-16
Woo J (*see* Gao et al). 1996;15:78-87
Wood CE (*see* Braith et al). 1996;15:872-80
Woodcock AA (*see* Egan et al). 1996;15:1268-9 (Letter)
Wutte M, Hülsmann M, Berger R, Siegel A, Stanek B, Pacher R. Effect of prostaglandin E_1 infusion on kidney function in patients with severe heart failure. 1996;15:317-8 (Letter)

Y

Yamamoto F (*see* Shimada et al). 1996;15:485-95
Yamamoto H (*see* Shimada et al). 1996;15:485-95
Yamashiro T (*see* Tremblay et al). 1996;15:260-8
Yamashita C (*see* Okada et al). 1996;15:475-84
Yancy CW (*see* Olivari et al). 1996;15:1069-74
Yancy CW Jr (*see* Smart et al). 1996;15:329-41
Yankah AC (*see* Knosalla et al). 1996;15:827-39
Yanowitz FG (*see* Renlund et al). 1996;15:16-24
Yasui H (*see* Tanoue et al). 1996;15:43-50

Yeatman M, McNeil K, Smith JA, Stewart S, Sharples LD, Higenbottam T, Wells FC, Wallwork J. Lung transplantation in patients with systemic diseases: an eleven-year experience at Papworth Hospital. 1996;15:144-9
Yeung AC (*see* Liang et al). 1996;15:980-7
Yokoyama H (*see* Shen et al). 1996;15:1034-8
Yonan N (*see* Egan et al). 1996;15:1268-9 (Letter)
Yonan NA (*see* El Oakley et al). 1996;15:255-9
— — (*see* El-Gamel et al). 1996;15:564-71
— — (*see* El-Gamel et al). 1996;15:315-6 (Letter)
— — (*see* El-Gamel et al). 1996;15:319-21 (Letter)
Yoon H-E, Mizuta T, Minami M, Fujii Y, Matsumura A, Nakahara K, Matsuda H. Exercise performance of rats after isogenic left or right lung transplantation followed by contralateral pulmonary artery ligation. 1996;15:605-11
Yoshida Y (*see* Sakaguchi et al). 1996;15:1101-7
You X-M, Steinmüller C, Wagner TOF, Bruggeman CA, Haverich A, Steinhoff G. Enhancement of cytomegalovirus infection and acute rejection after allogeneic lung transplantation in the rat: virus-induced expression of major histocompatibility complex class II antigens. 1996;15:1108-19
Youm W (*see* Komatsu et al). 1996;15:722-7
Yousem SA, Berry GJ, Cagle PT, Chamberlain D, Husain AN, Hruban RH, Marchevsky A, Ohori NP, Ritter J, Stewart S, Tazelaar HD. Revision of the 1990 working formulation for the classification of pulmonary allograft rejection: lung rejection study group. 1996;15:1-15
— — (*see* Komatsu et al). 1996;15:722-7

Z

Zales VR (*see* Gotteiner et al). 1996;15:596-604
Zhang Q-W (*see* Tanoue et al). 1996;15:43-50
Zhang T (*see* Mehra et al). 1996;15:51-7
Zlabinger G (*see* Wisser et al). 1996;15:1209-16
Zondervan PE (*see* Baan et al). 1996;15:1184-93
Zuckermann A (*see* Wisser et al). 1996;15:1209-16

Subject index*

A

Acoustics
Myocardial acoustics in pediatric allograft rejection (Gotteiner et al). 1996;15:596-604

Adenosine triphosphate
Long-term heart preservation by the combined method of simple immersion and coronary perfusion (Ohtaki et al). 1996;15:269-74

Adenoviridae infections
Adenovirus-mediated in vivo gene transfer in a rabbit model of allograft vasculopathy (Mehra et al). 1996;15:51-7

Administration, inhalation
Inhaled nitric oxide: effects on hemodynamics, myocardial contractility, and regional blood flow in dogs with mechanically induced pulmonary artery hypertension (Girard et al). 1996; 15:700-8
Low doses of inhaled nitric oxide in heart transplant recipients (Auler et al). 1996;15:443-50
A theoretic analysis of the effect of pulmonary vasodilation on pulmonary venous pressure: implications for inhaled nitric oxide therapy (Dickstein and Burkhoff). 1996;15:715-21

Adrenal cortex hormones
Improved long-term survival after heart transplantation predicted by successful early withdrawal from maintenance corticosteroid therapy (Taylor et al). 1996;15:1039-46

Albumins
Five years' follow-up of renal glomerular and tubular functions in heart transplant recipients (Hartmann et al). 1996;15:972-9

Alcoholism
Hearts from donors with chronic alcohol use: a possible risk factor for death after heart transplantation (Freimark et al). 1996;15:150-9

Allogeneic transplantation; *see* **Transplantation, homologous**

Allograft; *see* **Transplantation, homologous**

Allopurinol
Chagas' disease reactivation after heart transplantation: efficacy of allopurinol treatment (Almeida et al). 1996;15:988-92

Alprostadil
Effect of prostaglandin E_1 infusion on kidney function in patients with severe heart failure (Wutte et al). 1996;15:317-8 (Letter)

Amyloidosis
Role of heart transplantation in systemic amyloidosis (Hawkins and Pepys). 1996;15:321-2 (Letter)

Anastomosis, surgical
Reverse telescope anastomotic technique reduces the incidence of bronchial stricture (Rabinov et al). 1996;15:243-8
Total pulmonary artery occlusion immediately after lung transplantation: successful revascularization with intravascular stents (Hearne et al). 1996;15:532-5

Anemia, aplastic
Transient aplastic anemia caused by parvovirus B19 infection in a heart transplant recipient (Bergen et al). 1996;15:843-5

Anemia, hemolytic
Microangiopathic hemolytic anemia secondary to cyclosporine therapy in a heart and liver transplant recipient (Oteo et al). 1996;15:322-4 (Letter)

Aneurysm, infected
Mycotic aortic aneurysms after orthotopic heart transplantation: a three-case report and review of the literature (Knosalla et al). 1996;15: 827-39

Angiography
Magnetic resonance coronary angiography in heart transplant recipients (Davis et al). 1996; 15:580-6
Prediction of angiographic disease by intracoronary ultrasonographic findings in heart transplant recipients (Liang et al). 1996;15: 980-7

Animal models; *see* **Models, theoretical**

Anoxia
Successful transplantation of cadaver hearts harvested one hour after hypoxic cardiac arrest (Takagaki et al). 1996;15:527-31

Antibodies
Role of antibody and indirect antigen presentation in transplant-associated coronary artery vasculopathy (Rose). 1996;15:342-9
Severe hemolysis caused by graft-derived anti-B production after lung transplantation (Taaning et al). 1996;15:850-1

*January (part 1), pp. 1-110; January (part 2), pp. S1-S114; February, pp. 111-120; March, pp. 221-328; April, pp. 329-434; May, pp. 435-546; June, pp. 547-654; July, pp. 655-748; August, pp. 749-856; September, pp. 857-958; October, pp. 959-1062; November, pp. 1063-1170; December, pp. 1171-1316.

Antibody formation
Electric myocardial impedance registration in humoral rejection after heart transplantation (Grauhan et al). 1996;15:136-43
A histopathologic grading system of hyperacute (humoral, antibody-mediated) cardiac xenograft and allograft rejection (Rose and Cooper). 1996;15:804-17
Humoral (antibody-mediated) rejection in lung transplantation (Saint Martin et al). 1996;15:1217-22
Isolated coronary artery transplantation in pigs: a new model to study transplantation arteriosclerosis and humoral rejection (Tixier et al). 1996;15:919-27

Antigens
Enhancement of cytomegalovirus infection and acute rejection after allogeneic lung transplantation in the rat: virus-induced expression of major histocompatibility complex class II antigens (You et al). 1996;15:1108-19
Preventing allograft rejection with CTLA4IG: effect of donor-specific transfusion route or timing (Bolling et al). 1996;15:928-35
Role of antibody and indirect antigen presentation in transplant-associated coronary artery vasculopathy (Rose). 1996;15:342-9

Antilymphocyte serum
Mechanisms of immunosuppression induced by antithymocyte globulins and OKT3 (Bonnefoy-Berard and Revillard). 1996;15:435-42

Antiviral agents
Cytomegalovirus antigenemia as a marker for antiviral therapy after heart transplantation (Iberer et al). 1996;15:314-5 (Letter)

Aortic aneurysm
Mycotic aortic aneurysms after orthotopic heart transplantation: a three-case report and review of the literature (Knosalla et al). 1996;15:827-39

Aplastic anemia; *see* **Anemia, aplastic**

Apolipoproteins
Prominence of apolipoproteins B, (a), and E in the intimae of coronary arteries in transplanted human hearts: geographic relationship to vessel wall proteoglycans (Lin et al). 1996;15:1223-32

Apoptosis
Identification of programmed cell death (apoptosis) in situ by means of specific labeling of nuclear DNA fragments in heart biopsy samples during acute rejection episodes (Laguens et al). 1996;15:911-8

Arginine
L-Arginine prevents heart transplant arteriosclerosis by modulating the vascular cell proliferative response to insulin-like growth factor-I and interleukin-6 (Lou et al). 1996;15:1248-57
Enhanced nitric oxide production induced by the administration of L-arginine does not inhibit arterial neointimal formation after overwhelming alloimmune injury (Gregory et al). 1996;15:58-66
Poststorage diastolic abnormalities of heart transplants: Is vascular dysfunction or myocardial contracture the culprit? (Kevelaitis et al). 1996;15:461-9

Arterial intima; *see* **Tunica intima**

Arterioles
Morphometric and immunocytochemical analysis of coronary arterioles in human transplanted hearts (Armstrong et al). 1996;15:818-26

Arteriosclerosis
L-Arginine prevents heart transplant arteriosclerosis by modulating the vascular cell proliferative response to insulin-like growth factor-I and interleukin-6 (Lou et al). 1996;15:1248-57
Isolated coronary artery transplantation in pigs: a new model to study transplantation arteriosclerosis and humoral rejection (Tixier et al). 1996;15:919-27

Artificial organs
Bridge to transplantation with the CardioWest total artificial heart: the international experience 1993 to 1995 (Copeland et al). 1996;15:94-9

Aspartate
Temperature-dependent cardioprotection of exogenous substrates in long-term heart preservation with continuous perfusion: twenty-four–hour preservation of isolated rat heart with St. Thomas' hospital solution containing glucose, insulin, and aspartate (Shimada et al). 1996;15:485-95

Atherosclerosis
Biglycan, decorin, and versican protein expression patterns in coronary arteriopathy of human cardiac allografts: distinctness as compared to native atherosclerosis (Lin et al). 1996;15:1233-47
RANTES chemokine expression in transplant-associated accelerated atherosclerosis (Pattison et al). 1996;15:1194-9

Atrial function
Assessment of right and left atrial function in patients with transplantated hearts with the use of magnetic resonance imaging (Lauerma et al). 1996;15:360-7

Atrial function—cont'd
Left atrial dysfunction after orthotopic heart transplantation (Starling and Boudoulas). 1996;15:431-2 (Letter)
Recipient-donor atrial synchronization benefits acute hemodynamics after orthotopic heart transplantation (McClurken et al). 1996;15: 368-70

B

Biological markers
Cytomegalovirus antigenemia as a marker for antiviral therapy after heart transplantation (Iberer et al). 1996;15:314-5 (Letter)
First clinical application of the MEDOS-HIA ventricular support system: monitoring of the thrombotic risk by means of the biomarker prothrombin fragment F_1+2 and scanning electron microscopy evaluation (Guldner et al). 1996;15:291-6
Troponin T as a marker for posttransplantation adaptational problems of the donor heart (Halwachs et al). 1996;15:451-5

Biological monitoring; *see* **Environmental monitoring**

Biopsy
Consistencies and controversies in the application of the International Society for Heart and Lung Transplantation working formulation for heart transplant biopsy specimens (Winters and McManus). 1996;15:728-35
Diagnostic yield and therapeutic impact of flexible bronchoscopy in lung transplant recipients (Chan et al). 1996;15:196-205
Echocardiographic characteristics of biopsy-proven cellular rejection in infant heart transplant recipients (Santos-Ocampo et al). 1996; 15:25-34
Identification of programmed cell death (apoptosis) in situ by means of specific labeling of nuclear DNA fragments in heart biopsy samples during acute rejection episodes (Laguens et al). 1996;15:911-8
Influence of acute or chronic rejection on myocardial collagen density in serial endomyocardial biopsy specimens from cardiac allografts (Fornes et al). 1996;15:796-803
Yield of surveillance transbronchial biopsies performed beyond two years after lung transplantation (Kesten et al). 1996;15:384-8

Blindness
Cortical blindness secondary to cyclosporine after orthotopic heart transplantation: a case report and review of the literature (Drachman et al). 1996;15:1158-64

Blood flow velocity
Inhaled nitric oxide: effects on hemodynamics, myocardial contractility, and regional blood flow in dogs with mechanically induced pulmonary artery hypertension (Girard et al). 1996; 15:700-8

Blood pressure
Prospective study of the circadian pattern of blood pressure after heart transplantation (Khot et al). 1996;15:350-9

Blood transfusion
Preventing allograft rejection with CTLA4IG: effect of donor-specific transfusion route or timing (Bolling et al). 1996;15:928-35

Blood vessel prosthesis
Isolated coronary artery transplantation in pigs: a new model to study transplantation arteriosclerosis and humoral rejection (Tixier et al). 1996;15:919-27

Brain death
The combined effects of brain death and cardiac graft preservation on cardiopulmonary hemodynamics and function before and after subsequent heart transplantation (Bittner et al). 1996;15:764-77
Extended criteria for cardiac allograft donors: a consensus study (El Oakley et al). 1996;15: 255-9

Bronchi
The bronchial epithelium: a potential allogeneic target for chronic rejection after lung transplantation (Mauck and Hosenpud). 1996;15: 709-14
Diagnostic yield and therapeutic impact of flexible bronchoscopy in lung transplant recipients (Chan et al). 1996;15:196-205
Impaired bronchial healing after lung donation from non-heart-beating donors (Binns et al). 1996;15:1084-92
Reverse telescope anastomotic technique reduces the incidence of bronchial stricture (Rabinov et al). 1996;15:243-8
Yield of surveillance transbronchial biopsies performed beyond two years after lung transplantation (Kesten et al). 1996;15:384-8

Bronchial constriction
Prostacyclin analog OP2507 prevents pulmonary arterial and airway constriction during lung preservation and reperfusion (Nawata et al). 1996;15:470-4

Bronchiolitis obliterans
Actuarial survival of heart-lung and bilateral sequential lung transplant recipients with obliterative bronchiolitis (Valentine et al). 1996;15: 371-83

Methotrexate can halt the progression of bronchiolitis obliterans syndrome in lung transplant recipients (Dusmet et al). 1996;15:948-54

Pediatric heart-lung transplantation: intermediate-term results (Conte et al). 1996;15: 692-9

Physiologic definitions of obliterative bronchiolitis in heart-lung and double lung transplantation: a comparison of the forced expiratory flow between 25% and 75% of the forced vital capacity and forced expiratory volume in one second (Patterson et al). 1996;15:175-81

Risk factors for the development of obliterative bronchiolitis after lung transplantation (Girgis et al). 1996;15:1200-8

Seasonal onset of bronchiolitis obliterans syndrome in lung transplant recipients (Hohlfeld et al). 1996;15:888-94

Value of high-resolution computed tomography in routine evaluation of lung transplantation recipients during development of bronchiolitis obliterans syndrome (Ikonen et al). 1996;15: 587-95

Bronchoalveolar lavage fluid

Diagnostic yield and therapeutic impact of flexible bronchoscopy in lung transplant recipients (Chan et al). 1996;15:196-205

Bronchoscopy

Diagnostic yield and therapeutic impact of flexible bronchoscopy in lung transplant recipients (Chan et al). 1996;15:196-205

Bullectomy

Single lung transplantation followed by contralateral bullectomy for bullous emphysema (Kuno et al). 1996;15:389-94

Butadienes

Poststorage diastolic abnormalities of heart transplants: Is vascular dysfunction or myocardial contracture the culprit? (Kevelaitis et al). 1996;15:461-9

C

Candidate selection; *see* **Health care rationing**

Cardiac output

Orthotopic heart transplantation hemodynamics: Does atrial preservation improve cardiac output after transplantation? (El-Gamel et al). 1996;15:564-71

Cardiomyopathy, congestive

Mid-term results of heart transplantation, cardiomyoplasty, and medical treatment of refractory heart failure caused by idiopathic dilated cardiomyopathy (Bocchi et al). 1996;15:736-45

Transient normalization of systolic and diastolic function after support with a left ventricular assist device in a patient with dilated cardiomyopathy (Levin et al). 1996;15:840-2

Cardiomyoplasty

Mid-term results of heart transplantation, cardiomyoplasty, and medical treatment of refractory heart failure caused by idiopathic dilated cardiomyopathy (Bocchi et al). 1996;15: 736-45

CardioWest artificial heart; *see* **Heart, artificial**

Cell adhesion molecules

Uptake of indium-111-anti-intercellular adhesion molecule-1 monoclonal antibody in the allografted rat lung during acute rejection (Amano et al). 1996;15:1027-33

Cell death

Identification of programmed cell death (apoptosis) in situ by means of specific labeling of nuclear DNA fragments in heart biopsy samples during acute rejection episodes (Laguens et al). 1996;15:911-8

Cell-mediated immunity; *see* **Immunity, cellular**

Celsior solution

Poststorage diastolic abnormalities of heart transplants: Is vascular dysfunction or myocardial contracture the culprit? (Kevelaitis et al). 1996;15:461-9

Chagas' disease

Chagas' disease reactivation after heart transplantation: efficacy of allopurinol treatment (Almeida et al). 1996;15:988-92

Chemokine

RANTES chemokine expression in transplant-associated accelerated atherosclerosis (Pattison et al). 1996;15:1194-9

Child

Diagnosis, surveillance, and epidemiologic evaluation of viral infections in pediatric cardiac transplant recipients with the use of the polymerase chain reaction (Schowengerdt et al). 1996;15:111-23

Donor-recipient size matching in pediatric heart transplantation: a word of caution about small grafts (Tamisier et al). 1996;15:190-5

Echocardiographic characteristics of biopsy-proven cellular rejection in infant heart transplant recipients (Santos-Ocampo et al). 1996; 15:25-34

Experience of FK506 immune suppression in pediatric heart transplantation: a study of long-term adverse effects (Asante-Korang et al). 1996;15:415-22

Infant and donor organ growth after heart transplantation in neonates with hypoplastic left heart syndrome (Hirsch et al). 1996;15:1093-1100

Child – cont'd
Lung transplantation in infancy and early childhood (Bridges et al). 1996;15:895-902
Myocardial acoustics in pediatric allograft rejection (Gotteiner et al). 1996;15:596-604
Pediatric heart-lung transplantation: intermediate-term results (Conte et al). 1996;15:692-9
Pneumocystis carinii pneumonia in infants after heart transplantation (Janner et al). 1996;15: 758-63

Chronotropic incompetence
Exercise capacity of heart transplant recipients: the importance of chronotropic incompetence (Gullestad et al). 1996;15:1075-83

Churg-Strauss syndrome
Lung transplantation in patients with systemic diseases: an eleven-year experience at Papworth Hospital (Yeatman et al). 1996;15:144-9

Circadian rhythm
Prospective study of the circadian pattern of blood pressure after heart transplantation (Khot et al). 1996;15:350-9

Clinical protocols
An individualized protocol is more accurate than a standard protocol for assessing exercise capacity after heart transplantation (Olivari et al). 1996;15:1069-74
Influence of the exercise protocol on hemodynamic, gas exchange, and neurohumoral responses to exercise in heart transplant recipients (Gullestad et al). 1996;15:304-13

Cold storage
Controlled pressure reperfusion of rat pulmonary grafts yields improved function after twenty-four–hours' cold storage in University of Wisconsin solution (Hopkinson et al). 1996;15: 283-90
Evaluation of myocardial viability during simple cold storage with the use of electrical properties in broad frequencies (Ishikawa et al). 1996;15: 1005-11
Long-term heart preservation by the combined method of simple immersion and coronary perfusion (Ohtaki et al). 1996;15:269-74
Poststorage diastolic abnormalities of heart transplants: Is vascular dysfunction or myocardial contracture the culprit? (Kevelaitis et al). 1996;15:461-9
Preservation of myocardial function and metabolism at subzero nonfreezing temperature storage of the heart (Sakaguchi et al). 1996;15: 1101-7

Collagen
Influence of acute or chronic rejection on myocardial collagen density in serial endomyocardial biopsy specimens from cardiac allografts (Fornes et al). 1996;15:796-803

Compliance
Medical compliance and its predictors in the first year after heart transplantation (Dew et al). 1996;15:631-45

Constriction
Prostacyclin analog OP2507 prevents pulmonary arterial and airway constriction during lung preservation and reperfusion (Nawata et al). 1996;15:470-4

Contracture
Poststorage diastolic abnormalities of heart transplants: Is vascular dysfunction or myocardial contracture the culprit? (Kevelaitis et al). 1996;15:461-9

Coronary angiography
Magnetic resonance coronary angiography in heart transplant recipients (Davis et al). 1996; 15:580-6

Coronary arteries
Isolated coronary artery transplantation in pigs: a new model to study transplantation arteriosclerosis and humoral rejection (Tixier et al). 1996;15:919-27
Prominence of apolipoproteins B, (a), and E in the intimae of coronary arteries in transplanted human hearts: geographic relationship to vessel wall proteoglycans (Lin et al). 1996;15:1223-32

Coronary artery disease; *see* **Coronary disease**

Coronary disease
Diltiazem preserves direct vasodilator response but fails to suppress intimal proliferation in rat allograft coronary artery disease (Takami et al). 1996;15:67-77
Improved long-term survival after heart transplantation predicted by successful early withdrawal from maintenance corticosteroid therapy (Taylor et al). 1996;15:1039-46
Lipid disorder and transplant coronary artery disease in long-term survivors of heart transplantation (Park et al). 1996;15:572-9
Prediction of angiographic disease by intracoronary ultrasonographic findings in heart transplant recipients (Liang et al). 1996;15:980-7
Role of antibody and indirect antigen presentation in transplant-associated coronary artery vasculopathy (Rose). 1996;15:342-9

Coronary luminal narrowing
Low-dose cyclosporine treatment fails to prevent coronary luminal narrowing after heart transplantation (Vassalli et al). 1996;15:612-9

Coronary vessels
Receptor-specific effects of acute rejection after heart transplantation on endothelium-depen-

dent coronary relaxation in dogs (Bouchard et al). 1996;15:404-8

Corrections

Is percentage of predicted maximal exercise oxygen consumption a better predictor of survival than peak exercise oxygen consumption for patients with severe heart failure (Aaronson and Mancini) (1995;14:981-9). 1996;15:106-7

Corticosteroids; *see* **Adrenal cortex hormones**

Cyclophosphamide

Prolonged survival of hamster-to-rat pulmonary xenografts by tacrolimus (FK506) and cyclophosphamide (Komatsu et al). 1996;15:722-7

Cyclosporine

Cortical blindness secondary to cyclosporine after orthotopic heart transplantation: a case report and review of the literature (Drachman et al). 1996;15:1158-64

Effect of pentoxifylline on renal toxicity of cyclosporine: results of a clinical trial after heart transplantation (Carrier et al). 1996;15:1179-83

Five years' follow-up of renal glomerular and tubular functions in heart transplant recipients (Hartmann et al). 1996;15:972-9

Low-dose cyclosporine treatment fails to prevent coronary luminal narrowing after heart transplantation (Vassalli et al). 1996;15:612-9

Microangiopathic hemolytic anemia secondary to cyclosporine therapy in a heart and liver transplant recipient (Oteo et al). 1996;15:322-4 (Letter)

Normalization of total body and regional sympathetic hyperactivity in heart failure after heart transplantation (Rundqvist et al). 1996;15:516-26

A novel mechanism for cyclosporine: inhibition of myocardial ischemia and reperfusion injury in a heterotopic rabbit heart transplant model (Gatewood et al). 1996;15:936-47

Cytokines

Experimental and clinical allogeneic heart transplant rejection: correlations between histology and immune reactivity detected by cytokine messenger RNA (Normann et al). 1996;15:778-89

The intragraft cytokine mRNA pattern reflects the efficacy of steroid antirejection therapy (Baan et al). 1996;15:1184-93

Morphometric and immunocytochemical analysis of coronary arterioles in human transplanted hearts (Armstrong et al). 1996;15:818-26

Semiquantitative measurement of cytokine messenger RNA in endomyocardium and peripheral blood mononuclear cells from human heart transplant recipients (Lagoo et al). 1996;15:206-17

Cytomegalovirus

Cytomegalovirus antigenemia as a marker for antiviral therapy after heart transplantation (Iberer et al). 1996;15:314-5 (Letter)

Enhancement of cytomegalovirus infection and acute rejection after allogeneic lung transplantation in the rat: virus-induced expression of major histocompatibility complex class II antigens (You et al). 1996;15:1108-19

D

Death

Hearts from donors with chronic alcohol use: a possible risk factor for death after heart transplantation (Freimark et al). 1996;15:150-9

Dehydroepiandrosterone; *see* **Prasterone**

Denervation

Fluid homeostasis after heart transplantation: the role of cardiac denervation (Braith et al). 1996;15:872-80

Dextrans

Influence of dextrans on lung preservation: Is the molecular weight important? (Fukuse et al). 1996;15:903-10

Diastole

Poststorage diastolic abnormalities of heart transplants: Is vascular dysfunction or myocardial contracture the culprit? (Kevelaitis et al). 1996;15:461-9

Transient normalization of systolic and diastolic function after support with a left ventricular assist device in a patient with dilated cardiomyopathy (Levin et al). 1996;15:840-2

Dilated cardiomyopathy; *see* **Cardiomyopathy, congestive**

Diltiazem

Diltiazem preserves direct vasodilator response but fails to suppress intimal proliferation in rat allograft coronary artery disease (Takami et al). 1996;15:67-77

Dimethylthiourea

Donor lungs from ventilated cadavers: impact of a free radical scavenger (Roberts et al). 1996;15:275-82

DNA

Identification of programmed cell death (apoptosis) in situ by means of specific labeling of nuclear DNA fragments in heart biopsy samples during acute rejection episodes (Laguens et al). 1996;15:911-8

Donors; *see* **Tissue donors**

E

Echocardiography
Echocardiographic characteristics of biopsy-proven cellular rejection in infant heart transplant recipients (Santos-Ocampo et al). 1996; 15:25-34

Economics
Measurement of health-related quality of life before and after heart-lung transplantation (Caine et al). 1996;15:1047-58

Editorials
Do multiinstitutional studies represent a higher level of research than single institution studies? (Naftel). 1996;15:229-30 (Editorial)
In honor of Jacques G. Losman, and Michael P. Kaye (Costanzo). 1996;15:221 (Editorial)

Eisenmenger complex
Comparison of the hemodynamics and survival of adults with severe primary pulmonary hypertension or Eisenmenger syndrome (Hopkins et al). 1996;15:100-5

Electrical impedance
Electric myocardial impedance registration in humoral rejection after heart transplantation (Grauhan et al). 1996;15:136-43

Electrocardiography
Detection of acute cardiac allograft rejection with high resolution electrocardiography: experimental study in rats (Babuty et al). 1996;15: 1120-9

Electromyography
Paced epimyocardial electrograms for noninvasive rejection monitoring after heart transplantation (Auer et al). 1996;15:993-8

Emphysema
Single lung transplantation followed by contralateral bullectomy for bullous emphysema (Kuno et al). 1996;15:389-94

Endocarditis
Infective endocarditis of the tricuspid valve in an orthotopic heart transplant recipient (Stewart et al). 1996;15:646-9

Endomyocardium
Semiquantitative measurement of cytokine messenger RNA in endomyocardium and peripheral blood mononuclear cells from human heart transplant recipients (Lagoo et al). 1996;15: 206-17

Endothelins
Efficacy of oxygenated University of Wisconsin solution containing endothelin-A receptor antagonist in twenty-four–hour heart preservation (Okada et al). 1996;15:475-84

Endothelium
Cell-mediated responses to donor endothelium: reinterpretation of the data (Rose). 1996;15: 853 (Letter)
Impaired endothelium-mediated vasodilation in the peripheral vasculature of patients with acute pulmonary allograft rejection (Scherstén et al). 1996;15:556-63
Poststorage diastolic abnormalities of heart transplants: Is vascular dysfunction or myocardial contracture the culprit? (Kevelaitis et al). 1996;15:461-9
Receptor-specific effects of acute rejection after heart transplantation on endothelium-dependent coronary relaxation in dogs (Bouchard et al). 1996;15:404-8

Environmental monitoring
First clinical application of the MEDOS-HIA ventricular support system: monitoring of the thrombotic risk by means of the biomarker prothrombin fragment F_1+_2 and scanning electron microscopy evaluation (Guldner et al). 1996;15:291-6

Eosinophils
Eosinophilic myocarditis in heart transplant candidates (Fernández-González and Panizo-Santos) (Letter); (Spear) (Reply). 1996;15:852-3

Epithelium
The bronchial epithelium: a potential allogeneic target for chronic rejection after lung transplantation (Mauck and Hosenpud). 1996;15: 709-14

Epitheloid leiomyosarcoma; *see* **Leiomyosarcoma**

Epoprostenol
Prostacyclin analog OP2507 prevents pulmonary arterial and airway constriction during lung preservation and reperfusion (Nawata et al). 1996;15:470-4

Epstein-Barr virus; *see* **Herpesvirus 4, human**

Euro-Collins solution
Donor lungs from ventilated cadavers: impact of a free radical scavenger (Roberts et al). 1996; 15:275-82
Lung retrieval from cadaver donors with nonbeating hearts: optimal preservation solution (D'Armini et al). 1996;15:496-505
Prostacyclin analog OP2507 prevents pulmonary arterial and airway constriction during lung preservation and reperfusion (Nawata et al). 1996;15:470-4

Exercise
Exercise capacity after heart transplantation: influence of donor and recipient characteristics (Renlund et al). 1996;15:16-24
Exercise capacity of heart transplant recipients: the importance of chronotropic incompetence (Gullestad et al). 1996;15:1075-83

Exercise performance of rats after isogenic left or right lung transplantation followed by contralateral pulmonary artery ligation (Yoon et al). 1996;15:605-11

An individualized protocol is more accurate than a standard protocol for assessing exercise capacity after heart transplantation (Olivari et al). 1996;15:1069-74

Influence of the exercise protocol on hemodynamic, gas exchange, and neurohumoral responses to exercise in heart transplant recipients (Gullestad et al). 1996;15:304-13

F

Felodipine

Felodipine in hypertensive heart transplant recipients (Ambrosi et al). 1996;15:540-1 (Letter)

Fenofibrate; *see* **Procetofen**

FK-506

Experience of FK506 immune suppression in pediatric heart transplantation: a study of long-term adverse effects (Asante-Korang et al). 1996;15:415-22

Prolonged survival of hamster-to-rat pulmonary xenografts by tacrolimus (FK506) and cyclophosphamide (Komatsu et al). 1996;15:722-7

Flushing

Lung retrieval from cadaver donors with nonbeating hearts: optimal preservation solution (D'Armini et al). 1996;15:496-505

Prostacyclin analog OP2507 prevents pulmonary arterial and airway constriction during lung preservation and reperfusion (Nawata et al). 1996;15:470-4

Retrograde versus antegrade flush in canine left lung preservation for six hours (Chen et al). 1996;15:395-403

Forced expiratory flow rates

Physiologic definitions of obliterative bronchiolitis in heart-lung and double lung transplantation: a comparison of the forced expiratory flow between 25% and 75% of the forced vital capacity and forced expiratory volume in one second (Patterson et al). 1996;15:175-81

Forced expiratory volume

Physiologic definitions of obliterative bronchiolitis in heart-lung and double lung transplantation: a comparison of the forced expiratory flow between 25% and 75% of the forced vital capacity and forced expiratory volume in one second (Patterson et al). 1996;15:175-81

Forced vital capacity; *see* **Vital capacity**

Free radical scavengers

Donor lungs from ventilated cadavers: impact of a free radical scavenger (Roberts et al). 1996;15:275-82

G

Ganciclovir

Impact of ganciclovir prophylaxis on heart-lung and lung transplant recipients (Soghikian et al). 1996;15:881-7

Gene therapy

Gene therapy in transplantation (Hullett). 1996;15:857-62

Gene transfer

Adenovirus-mediated in vivo gene transfer in a rabbit model of allograft vasculopathy (Mehra et al). 1996;15:51-7

Globulins

Mechanisms of immunosuppression induced by antithymocyte globulins and OKT3 (Bonnefoy-Berard and Revillard). 1996;15:435-42

Glucose

Temperature-dependent cardioprotection of exogenous substrates in long-term heart preservation with continuous perfusion: twenty-four–hour preservation of isolated rat heart with St. Thomas' hospital solution containing glucose (Shimada et al). 1996;15:485-95

Graft rejection

The bronchial epithelium: a potential allogeneic target for chronic rejection after lung transplantation (Mauck and Hosenpud). 1996;15:709-14

Clinical importance of grade 2 cellular heart rejection (El-Gamel et al). 1996;15:319-21 (Letter)

Detection of acute cardiac allograft rejection with high resolution electrocardiography: experimental study in rats (Babuty et al). 1996;15:1120-9

Different immune effects on cardiac allografts and xenografts induced by neonatal intrathymic inoculation with allogeneic and xenogeneic antigens (Shen et al). 1996;15:1034-8

Echocardiographic characteristics of biopsy-proven cellular rejection in infant heart transplant recipients (Santos-Ocampo et al). 1996;15:25-34

Electric myocardial impedance registration in humoral rejection after heart transplantation (Grauhan et al). 1996;15:136-43

Enhancement of cytomegalovirus infection and acute rejection after allogeneic lung transplantation in the rat: virus-induced expression of major histocompatibility complex class II antigens (You et al). 1996;15:1108-19

Evolution of focal moderate (International Soci-

Graft rejection—cont'd
ety for Heart and Lung Transplantation Grade 2) rejection of the cardiac allograft (Milano et al). 1996;15:456-60
Experimental and clinical allogeneic heart transplant rejection: correlations between histology and immune reactivity detected by cytokine messenger RNA (Normann et al). 1996;15: 778-89
A histopathologic grading system of hyperacute (humoral, antibody-mediated) cardiac xenograft and allograft rejection (Rose and Cooper). 1996;15:804-17
Humoral (antibody-mediated) rejection in lung transplantation (Saint Martin et al). 1996;15: 1217-22
Identification of programmed cell death (apoptosis) in situ by means of specific labeling of nuclear DNA fragments in heart biopsy samples during acute rejection episodes (Laguens et al). 1996;15:911-8
Impaired endothelium-mediated vasodilation in the peripheral vasculature of patients with acute pulmonary allograft rejection (Scherstén et al). 1996;15:556-63
Influence of acute or chronic rejection on myocardial collagen density in serial endomyocardial biopsy specimens from cardiac allografts (Fornes et al). 1996;15:796-803
The intragraft cytokine mRNA pattern reflects the efficacy of steroid antirejection therapy (Baan et al). 1996;15:1184-93
Isolated coronary artery transplantation in pigs: a new model to study transplantation arteriosclerosis and humoral rejection (Tixier et al). 1996;15:919-27
Low-dose cyclosporine treatment fails to prevent coronary luminal narrowing after heart transplantation (Vassalli et al). 1996;15:612-9
Methotrexate for lung transplant recipients with steroid-resistant acute rejection (Cahill et al). 1996;15:1130-7
Myocardial acoustics in pediatric allograft rejection (Gotteiner et al). 1996;15:596-604
Paced epimyocardial electrograms for noninvasive rejection monitoring after heart transplantation (Auer et al). 1996;15:993-8
Preventing allograft rejection with CTLA4IG: effect of donor-specific transfusion route or timing (Bolling et al). 1996;15:928-35
Receptor-specific effects of acute rejection after heart transplantation on endothelium-dependent coronary relaxation in dogs (Bouchard et al). 1996;15:404-8
Revision of the 1990 working formulation for the classification of pulmonary allograft rejection: lung rejection study group (Yousem et al). 1996;15:1-15
Role of heat shock proteins in heart transplant rejection (Liu et al). 1996;15:222-8
Should cryptogenic organizing pneumonia be included in the classification of pulmonary allograft rejection? (Egan et al). 1996;15:1268-9 (Letter)
Total lymphoid irradiation for resistant rejection after heart transplantation: only moderate success medium-term (Keogh et al). 1996;15: 231-3
Uptake of indium-111-anti-intercellular adhesion molecule-1 monoclonal antibody in the allografted rat lung during acute rejection (Amano et al). 1996;15:1027-33
Value of high-resolution computed tomography in routine evaluation of lung transplantation recipients during development of bronchiolitis obliterans syndrome (Ikonen et al). 1996;15: 587-95
Graft survival
Both L- and D-isomers of Allotrap 2702 prolong cardiac allograft survival in mice (Gao et al). 1996;15:78-87
Clonal deletion as a mechanism of transplantation tolerance (Nikolic and Sykes). 1996;15: 1171-8
Duration of left ventricular assist device support affects transplant survival (Ashton et al). 1996; 15:1151-7

H

Healing; *see* **Wound healing**
Health care rationing
Comparison of the hemodynamics and survival of adults with severe primary pulmonary hypertension or Eisenmenger syndrome (Hopkins et al). 1996;15:100-5
Impact of the heart transplant waiting process on spouses (Collins et al). 1996;15:623-30
Reversal of end-stage heart failure is predicted by long-term therapeutic response rather than initial hemodynamic and neurohormonal profile (Levine et al). 1996;15:297-303
Heart, artificial
Bridge to transplantation with the CardioWest total artificial heart: the international experience 1993 to 1995 (Copeland et al). 1996;15: 94-9
Heart arrest
Successful transplantation of cadaver hearts har-

vested one hour after hypoxic cardiac arrest (Takagaki et al). 1996;15:527-31

Heart failure

Comparison of the hemodynamics and survival of adults with severe primary pulmonary hypertension or Eisenmenger syndrome (Hopkins et al). 1996;15:100-5

Donor-recipient size matching in pediatric heart transplantation: a word of caution about small grafts (Tamisier et al). 1996;15:190-5

Effect of prostaglandin E_1 infusion on kidney function in patients with severe heart failure (Wutte et al). 1996;15:317-8 (Letter)

Improvement in quality of life in patients with heart failure who undergo transplantation (Grady et al). 1996;15:749-57

Mid-term results of heart transplantation, cardiomyoplasty, and medical treatment of refractory heart failure caused by idiopathic dilated cardiomyopathy (Bocchi et al). 1996;15:736-45

Normalization of total body and regional sympathetic hyperactivity in heart failure after heart transplantation (Rundqvist et al). 1996;15:516-26

Reversal of end-stage heart failure is predicted by long-term therapeutic response rather than initial hemodynamic and neurohormonal profile (Levine et al). 1996;15:297-303

Heart failure, congestive

The identification of contributory mechanisms for the development and progression of congestive heart failure in animal models (Iannini and Spinale). 1996;15:1138-50

Heart preservation; *see* **Organ preservation**

Heart rate

Exercise capacity of heart transplant recipients: the importance of chronotropic incompetence (Gullestad et al). 1996;15:1075-83

Heart transplantation

Absence of Epstein-Barr virus involvement in an adult heart transplant recipient with an epitheloid leiomyosarcoma (van Gelder et al). 1996; 15:650-1 (Letter)

L-Arginine prevents heart transplant arteriosclerosis by modulating the vascular cell proliferative response to insulin-like growth factor-I and interleukin-6 (Lou et al). 1996;15: 1248-57

Assessment of right and left atrial function in patients with transplantated hearts with the use of magnetic resonance imaging (Lauerma et al). 1996;15:360-7

Biglycan, decorin, and versican protein expression patterns in coronary arteriopathy of human cardiac allografts: distinctness as compared to native atherosclerosis (Lin et al). 1996;15: 1233-47

Both L- and D-isomers of Allotrap 2702 prolong cardiac allograft survival in mice (Gao et al). 1996;15:78-87

Bridge to transplantation with the CardioWest total artificial heart: the international experience 1993 to 1995 (Copeland et al). 1996;15: 94-9

Chagas' disease reactivation after heart transplantation: efficacy of allopurinol treatment (Almeida et al). 1996;15:988-92

Clinical importance of grade 2 cellular heart rejection (El-Gamel et al). 1996;15:319-21 (Letter)

The combined effects of brain death and cardiac graft preservation on cardiopulmonary hemodynamics and function before and after subsequent heart transplantation (Bittner et al). 1996;15:764-77

Consistencies and controversies in the application of the International Society for Heart and Lung Transplantation working formulation for heart transplant biopsy specimens (Winters and McManus). 1996;15:728-35

Cortical blindness secondary to cyclosporine after orthotopic heart transplantation: a case report and review of the literature (Drachman et al). 1996;15:1158-64

Cytomegalovirus antigenemia as a marker for antiviral therapy after heart transplantation (Iberer et al). 1996;15:314-5 (Letter)

Dehydroepiandrosterone and cardiac allograft vasculopathy (Herrington et al). 1996;15:88-93

Detection of acute cardiac allograft rejection with high resolution electrocardiography: experimental study in rats (Babuty et al). 1996;15: 1120-9

Diagnosis, surveillance, and epidemiologic evaluation of viral infections in pediatric cardiac transplant recipients with the use of the polymerase chain reaction (Schowengerdt et al). 1996;15:111-23

Different immune effects on cardiac allografts and xenografts induced by neonatal intrathymic inoculation with allogeneic and xenogeneic antigens (Shen et al). 1996;15:1034-8

Diltiazem preserves direct vasodilator response but fails to suppress intimal proliferation in rat allograft coronary artery disease (Takami et al). 1996;15:67-77

Donor-derived human leukocyte antigen class I

Heart transplantation—cont'd

proteins in the serum of heart transplant recipients (DeVito-Haynes et al). 1996;15:1012-26

Donor-recipient size matching in pediatric heart transplantation: a word of caution about small grafts (Tamisier et al). 1996;15:190-5

Duration of left ventricular assist device support affects transplant survival (Ashton et al). 1996; 15:1151-7

Early progressive mobilization of patients with left ventricular assist devices is safe and optimizes recovery before heart transplantation (Morrone et al). 1996;15:423-9

Echocardiographic characteristics of biopsy-proven cellular rejection in infant heart transplant recipients (Santos-Ocampo et al). 1996; 15:25-34

Effect of pentoxifylline on renal toxicity of cyclosporine: results of a clinical trial after heart transplantation (Carrier et al). 1996;15:1179-83

Effect of single-dose rapamycin-based immunosuppression on the development of cardiac allograft vasculopathy (Goggins et al). 1996;15: 790-5

Electric myocardial impedance registration in humoral rejection after heart transplantation (Grauhan et al). 1996;15:136-43

Eosinophilic myocarditis in heart transplant candidates (Fernández-González and Panizo-Santos) (Letter); (Spear) (Reply). 1996;15:852-3

Evolution of focal moderate (International Society for Heart and Lung Transplantation Grade 2) rejection of the cardiac allograft (Milano et al). 1996;15:456-60

Exercise capacity after heart transplantation: influence of donor and recipient characteristics (Renlund et al). 1996;15:16-24

Exercise capacity of heart transplant recipients: the importance of chronotropic incompetence (Gullestad et al). 1996;15:1075-83

Experience of FK506 immune suppression in pediatric heart transplantation: a study of long-term adverse effects (Asante-Korang et al). 1996;15:415-22

Experimental and clinical allogeneic heart transplant rejection: correlations between histology and immune reactivity detected by cytokine messenger RNA (Normann et al). 1996;15: 778-89

Extended criteria for cardiac allograft donors: a consensus study (El Oakley et al). 1996;15: 255-9

Felodipine in hypertensive heart transplant recipients (Ambrosi et al). 1996;15:540-1 (Letter)

Fenofibrate, probucol, and other lipid-lowering treatments in heart transplant recipients (de Lorgeril et al). 1996;15:539-40 (Letter)

Five years' follow-up of renal glomerular and tubular functions in heart transplant recipients (Hartmann et al). 1996;15:972-9

Fluid homeostasis after heart transplantation: the role of cardiac denervation (Braith et al). 1996;15:872-80

Hearts from donors with chronic alcohol use: a possible risk factor for death after heart transplantation (Freimark et al). 1996;15:150-9

A histopathologic grading system of hyperacute (humoral, antibody-mediated) cardiac xenograft and allograft rejection (Rose and Cooper). 1996;15:804-17

Identification of programmed cell death (apoptosis) in situ by means of specific labeling of nuclear DNA fragments in heart biopsy samples during acute rejection episodes (Laguens et al). 1996;15:911-8

Impact of the heart transplant waiting process on spouses (Collins et al). 1996;15:623-30

Improved long-term survival after heart transplantation predicted by successful early withdrawal from maintenance corticosteroid therapy (Taylor et al). 1996;15:1039-46

Improvement in quality of life in patients with heart failure who undergo transplantation (Grady et al). 1996;15:749-57

An individualized protocol is more accurate than a standard protocol for assessing exercise capacity after heart transplantation (Olivari et al). 1996;15:1069-74

Infant and donor organ growth after heart transplantation in neonates with hypoplastic left heart syndrome (Hirsch et al). 1996;15:1093-1100

Infective endocarditis of the tricuspid valve in an orthotopic heart transplant recipient (Stewart et al). 1996;15:646-9

Influence of acute or chronic rejection on myocardial collagen density in serial endomyocardial biopsy specimens from cardiac allografts (Fornes et al). 1996;15:796-803

Influence of the exercise protocol on hemodynamic, gas exchange, and neurohumoral responses to exercise in heart transplant recipients (Gullestad et al). 1996;15:304-13

Left atrial dysfunction after orthotopic heart transplantation (Starling and Boudoulas). 1996;15:431-2 (Letter)

Left ventricular dysfunction after heart transplantation: incidence and role of enhanced immu-

nosuppression (McNamara et al). 1996;15: 506-15
Lipid disorder and transplant coronary artery disease in long-term survivors of heart transplantation (Park et al). 1996;15:572-9
Low doses of inhaled nitric oxide in heart transplant recipients (Auler et al). 1996;15:443-50
Low-dose cyclosporine treatment fails to prevent coronary luminal narrowing after heart transplantation (Vassalli et al). 1996;15:612-9
Magnetic resonance coronary angiography in heart transplant recipients (Davis et al). 1996; 15:580-6
Medical compliance and its predictors in the first year after heart transplantation (Dew et al). 1996;15:631-45
Microangiopathic hemolytic anemia secondary to cyclosporine therapy in a heart and liver transplant recipient (Oteo et al). 1996;15:322-4 (Letter)
Mid-term results of heart transplantation, cardiomyoplasty, and medical treatment of refractory heart failure caused by idiopathic dilated cardiomyopathy (Bocchi et al). 1996;15:736-45
Morphometric and immunocytochemical analysis of coronary arterioles in human transplanted hearts (Armstrong et al). 1996;15:818-26
Mycotic aortic aneurysms after orthotopic heart transplantation: a three-case report and review of the literature (Knosalla et al). 1996;15: 827-39
Normalization of total body and regional sympathetic hyperactivity in heart failure after heart transplantation (Rundqvist et al). 1996;15:516-26
A novel mechanism for cyclosporine: inhibition of myocardial ischemia and reperfusion injury in a heterotopic rabbit heart transplant model (Gatewood et al). 1996;15:936-47
Orthotopic heart transplantation hemodynamics: Does atrial preservation improve cardiac output after transplantation? (El-Gamel et al). 1996;15:564-71
Outcomes of patients undergoing transplantation with older donor hearts (Drinkwater et al). 1996;15:684-91
Paced epimyocardial electrograms for noninvasive rejection monitoring after heart transplantation (Auer et al). 1996;15:993-8
Pneumocystis carinii pneumonia in infants after heart transplantation (Janner et al). 1996;15: 758-63
Poststorage diastolic abnormalities of heart transplants: Is vascular dysfunction or myocardial contracture the culprit? (Kevelaitis et al). 1996;15:461-9
Prediction of angiographic disease by intracoronary ultrasonographic findings in heart transplant recipients (Liang et al). 1996;15:980-7
Preoperative obesity is associated with decreased survival after heart transplantation (Grady et al). 1996;15:863-71
Prognostic determinants of six-month morbidity and mortality in heart transplant recipients (De Maria et al). 1996;15:124-35
Prominence of apolipoproteins B, (a), and E in the intimae of coronary arteries in transplanted human hearts: geographic relationship to vessel wall proteoglycans (Lin et al). 1996;15:1223-32
Prospective study of the circadian pattern of blood pressure after heart transplantation (Khot et al). 1996;15:350-9
Pseudopericardial effusions in heart transplant recipients (Dorffner et al). 1996;15:846-9
RANTES chemokine expression in transplant-associated accelerated atherosclerosis (Pattison et al). 1996;15:1194-9
Receptor-specific effects of acute rejection after heart transplantation on endothelium-dependent coronary relaxation in dogs (Bouchard et al). 1996;15:404-8
Recipient-donor atrial synchronization benefits acute hemodynamics after orthotopic heart transplantation (McClurken et al). 1996;15: 368-70
The Registry of the International Society for Heart and Lung Transplantation: thirteenth official report—1996 (Hosenpud et al). 1996; 15:655-74 (Registry)
Risk factors for early, cumulative, and fatal infections after heart transplantation: a multiinstitutional study (Smart et al). 1996;15:329-41
Role of heart transplantation in systemic amyloidosis (Hawkins and Pepys). 1996;15:321-2 (Letter)
Role of heat shock proteins in heart transplant rejection (Liu et al). 1996;15:222-8
Semiquantitative measurement of cytokine messenger RNA in endomyocardium and peripheral blood mononuclear cells from human heart transplant recipients (Lagoo et al). 1996;15: 206-17
Successful bridge to retransplantation with the wearable Novacar left ventricular assist system (Jacquet et al). 1996;15:620-2
Successful transplantation of cadaver hearts harvested one hour after hypoxic cardiac arrest (Takagaki et al). 1996;15:527-31

Heart transplantation—cont'd
Total lymphoid irradiation as rescue therapy after heart transplantation (Madden et al). 1996;15: 234-8
Total lymphoid irradiation for resistant rejection after heart transplantation: only moderate success medium-term (Keogh et al). 1996;15:231-3
Transient aplastic anemia caused by parvovirus B19 infection in a heart transplant recipient (Bergen et al). 1996;15:843-5
Troponin T as a marker for posttransplantation adaptational problems of the donor heart (Halwachs et al). 1996;15:451-5
Twenty-three–year survival after orthotopic heart transplantation (Brink). 1996;15:430-1 (Letter)
Heart-assist devices
Duration of left ventricular assist device support affects transplant survival (Ashton et al). 1996; 15:1151-7
Early progressive mobilization of patients with left ventricular assist devices is safe and optimizes recovery before heart transplantation (Morrone et al). 1996;15:423-9
Successful bridge to retransplantation with the wearable Novacar left ventricular assist system (Jacquet et al). 1996;15:620-2
Transient normalization of systolic and diastolic function after support with a left ventricular assist device in a patient with dilated cardiomyopathy (Levin et al). 1996;15:840-2
Heart-lung transplantation
Actuarial survival of heart-lung and bilateral sequential lung transplant recipients with obliterative bronchiolitis (Valentine et al). 1996;15: 371-83
Comparison of the hemodynamics and survival of adults with severe primary pulmonary hypertension or Eisenmenger syndrome (Hopkins et al). 1996;15:100-5
Heart-lung-liver transplantation (Dennis et al). 1996;15:536-8
Impact of ganciclovir prophylaxis on heart-lung and lung transplant recipients (Soghikian et al). 1996;15:881-7
Lung retransplantation: institutional report on a series of twenty patients (Wekerle et al). 1996;15:182-9
Measurement of health-related quality of life before and after heart-lung transplantation (Caine et al). 1996;15:1047-58
Pediatric heart-lung transplantation: intermediate-term results (Conte et al). 1996;15: 692-9
Physiologic definitions of obliterative bronchiolitis in heart-lung and double lung transplantation: a comparison of the forced expiratory flow between 25% and 75% of the forced vital capacity and forced expiratory volume in one second (Patterson et al). 1996;15:175-81
The Registry of the International Society for Heart and Lung Transplantation: thirteenth official report—1996 (Hosenpud et al). 1996; 15:655-74 (Registry)
Heat-shock proteins
Role of heat shock proteins in heart transplant rejection (Liu et al). 1996;15:222-8
Hemodynamics
The combined effects of brain death and cardiac graft preservation on cardiopulmonary hemodynamics and function before and after subsequent heart transplantation (Bittner et al). 1996;15:764-77
Comparison of the hemodynamics and survival of adults with severe primary pulmonary hypertension or Eisenmenger syndrome (Hopkins et al). 1996;15:100-5
Influence of the exercise protocol on hemodynamic, gas exchange, and neurohumoral responses to exercise in heart transplant recipients (Gullestad et al). 1996;15:304-13
Inhaled nitric oxide: effects on hemodynamics, myocardial contractility, and regional blood flow in dogs with mechanically induced pulmonary artery hypertension (Girard et al). 1996; 15:700-8
Orthotopic heart transplantation hemodynamics: Does atrial preservation improve cardiac output after transplantation? (El-Gamel et al). 1996;15:564-71
Recipient-donor atrial synchronization benefits acute hemodynamics after orthotopic heart transplantation (McClurken et al). 1996;15: 368-70
Reversal of end-stage heart failure is predicted by long-term therapeutic response rather than initial hemodynamic and neurohormonal profile (Levine et al). 1996;15:297-303
Hemolysis
Severe hemolysis caused by graft-derived anti-B production after lung transplantation (Taaning et al). 1996;15:850-1
Herpesvirus 4, human
Absence of Epstein-Barr virus involvement in an adult heart transplant recipient with an epithelioid leiomyosarcoma (van Gelder et al). 1996; 15:650-1 (Letter)
Heterologous transplantation; *see* **Transplantation, heterologous**

Heterotopic transplantation; *see* **Transplantation, heterotopic**

Histiocytosis, Langerhans-cell
Lung transplantation in patients with systemic diseases: an eleven-year experience at Papworth Hospital (Yeatman et al). 1996;15: 144-9

Histology
Experimental and clinical allogeneic heart transplant rejection: correlations between histology and immune reactivity detected by cytokine messenger RNA (Normann et al). 1996;15: 778-89

HLA antigens
Donor-derived human leukocyte antigen class I proteins in the serum of heart transplant recipients (DeVito-Haynes et al). 1996;15:1012-26
Influence of human leukocyte antigen matching on long-term outcome after lung transplantation (Wisser et al). 1996;15:1209-16
Receptors that turn on and turn off natural killer cells (Chong). 1996;15:675-83

Homeostasis
Fluid homeostasis after heart transplantation: the role of cardiac denervation (Braith et al). 1996;15:872-80

Homologous transplantation; *see* **Transplantation, homologous**

Human leukocyte antigens; *see* **HLA antigens**

Humoral immunity; *see* **Antibody formation**

Hyperkinesis
Normalization of total body and regional sympathetic hyperactivity in heart failure after heart transplantation (Rundqvist et al). 1996;15:516-26

Hypertension
Felodipine in hypertensive heart transplant recipients (Ambrosi et al). 1996;15:540-1 (Letter)
Five years' follow-up of renal glomerular and tubular functions in heart transplant recipients (Hartmann et al). 1996;15:972-9

Hypertension, pulmonary
Comparison of the hemodynamics and survival of adults with severe primary pulmonary hypertension or Eisenmenger syndrome (Hopkins et al). 1996;15:100-5
Exercise performance of rats after isogenic left or right lung transplantation followed by contralateral pulmonary artery ligation (Yoon et al). 1996;15:605-11
Inhaled nitric oxide: effects on hemodynamics, myocardial contractility, and regional blood flow in dogs with mechanically induced pulmonary artery hypertension (Girard et al). 1996; 15:700-8

Hypoplastic left heart syndrome
Infant and donor organ growth after heart transplantation in neonates with hypoplastic left heart syndrome (Hirsch et al). 1996;15:1093-1100

Hypotension
Effect of hypotension preceding death on the function of lungs from donors with nonbeating hearts (Tremblay et al). 1996;15:260-8

Hypoxia; *see* **Anoxia**

I

Immersion
Long-term heart preservation by the combined method of simple immersion and coronary perfusion (Ohtaki et al). 1996;15:269-74
Preservation of myocardial function and metabolism at subzero nonfreezing temperature storage of the heart (Sakaguchi et al). 1996;15: 1101-7

Immune system
Adenovirus-mediated in vivo gene transfer in a rabbit model of allograft vasculopathy (Mehra et al). 1996;15:51-7
Diltiazem preserves direct vasodilator response but fails to suppress intimal proliferation in rat allograft coronary artery disease (Takami et al). 1996;15:67-77
Enhanced nitric oxide production induced by the administration of L-arginine does not inhibit arterial neointimal formation after overwhelming alloimmune injury (Gregory et al). 1996;15: 58-66
Experimental and clinical allogeneic heart transplant rejection: correlations between histology and immune reactivity detected by cytokine messenger RNA (Normann et al). 1996;15: 778-89
Immunologic barriers to xenotransplantation (Lin and Platt). 1996;15:547-55
Networked alloimmunity: a brief reexamination of some basic concepts in transplantation immunobiology (Orosz). 1996;15:1063-8

Immunity
Networked alloimmunity: a brief reexamination of some basic concepts in transplantation immunobiology (Orosz). 1996;15:1063-8

Immunity, cellular
Cell-mediated responses to donor endothelium: reinterpretation of the data (Rose). 1996;15: 853 (Letter)

Immunity, humoral; *see* **Antibody formation**

Immunocytochemistry; *see* **Immunohistochemistry**
Immunohistochemistry
Morphometric and immunocytochemical analysis of coronary arterioles in human transplanted hearts (Armstrong et al). 1996;15:818-26
Immunosuppression
Both L- and D-isomers of Allotrap 2702 prolong cardiac allograft survival in mice (Gao et al). 1996;15:78-87
Clonal deletion as a mechanism of transplantation tolerance (Nikolic and Sykes). 1996;15:1171-8
Dehydroepiandrosterone and cardiac allograft vasculopathy (Herrington et al). 1996;15:88-93
Effect of single-dose rapamycin-based immunosuppression on the development of cardiac allograft vasculopathy (Goggins et al). 1996;15:790-5
Experience of FK506 immune suppression in pediatric heart transplantation: a study of long-term adverse effects (Asante-Korang et al). 1996;15:415-22
Five years' follow-up of renal glomerular and tubular functions in heart transplant recipients (Hartmann et al). 1996;15:972-9
In vivo immunosuppressive mechanisms (Halloran and Miller). 1996;15:959-71
Improved long-term survival after heart transplantation predicted by successful early withdrawal from maintenance corticosteroid therapy (Taylor et al). 1996;15:1039-46
Left ventricular dysfunction after heart transplantation: incidence and role of enhanced immunosuppression (McNamara et al). 1996;15:506-15
Methotrexate for lung transplant recipients with steroid-resistant acute rejection (Cahill et al). 1996;15:1130-7
Preventing allograft rejection with CTLA4IG: effect of donor-specific transfusion route or timing (Bolling et al). 1996;15:928-35
Prolonged survival of hamster-to-rat pulmonary xenografts by tacrolimus (FK506) and cyclophosphamide (Komatsu et al). 1996;15:722-7
Indium
Uptake of indium-111-anti-intercellular adhesion molecule-1 monoclonal antibody in the allografted rat lung during acute rejection (Amano et al). 1996;15:1027-33
Infant
Echocardiographic characteristics of biopsy-proven cellular rejection in infant heart transplant recipients (Santos-Ocampo et al). 1996;15:25-34
Lung transplantation in infancy and early childhood (Bridges et al). 1996;15:895-902
Pneumocystis carinii pneumonia in infants after heart transplantation (Janner et al). 1996;15:758-63
Infant, newborn
Infant and donor organ growth after heart transplantation in neonates with hypoplastic left heart syndrome (Hirsch et al). 1996;15:1093-1100
Infection
Chagas' disease reactivation after heart transplantation: efficacy of allopurinol treatment (Almeida et al). 1996;15:988-92
Diagnosis, surveillance, and epidemiologic evaluation of viral infections in pediatric cardiac transplant recipients with the use of the polymerase chain reaction (Schowengerdt et al). 1996;15:111-23
Enhancement of cytomegalovirus infection and acute rejection after allogeneic lung transplantation in the rat: virus-induced expression of major histocompatibility complex class II antigens (You et al). 1996;15:1108-19
Pediatric heart-lung transplantation: intermediate-term results (Conte et al). 1996;15:692-9
Risk factors for early, cumulative, and fatal infections after heart transplantation: a multiinstitutional study (Smart et al). 1996;15:329-41
Transient aplastic anemia caused by parvovirus B19 infection in a heart transplant recipient (Bergen et al). 1996;15:843-5
Injuries; *see* **Wounds and injuries**
Insulin
Temperature-dependent cardioprotection of exogenous substrates in long-term heart preservation with continuous perfusion: twenty-four–hour preservation of isolated rat heart with St. Thomas' hospital solution containing glucose, insulin, and asparate (Shimada et al). 1996;15:485-95
Insulin-like growth factor-I
L-Arginine prevents heart transplant arteriosclerosis by modulating the vascular cell proliferative response to insulin-like growth factor-I and interleukin-6 (Lou et al). 1996;15:1248-57
Interleukin-6
L-Arginine prevents heart transplant arteriosclerosis by modulating the vascular cell proliferative response to insulin-like growth factor-I and interleukin-6 (Lou et al). 1996;15:1248-57
International Society for Heart and Lung Transplantation
Consistencies and controversies in the application

of the International Society for Heart and Lung Transplantation working formulation for heart transplant biopsy specimens (Winters and McManus). 1996;15:728-35
Evolution of focal moderate (International Society for Heart and Lung Transplantation Grade 2) rejection of the cardiac allograft (Milano et al). 1996;15:456-60
Program issue. 1996;15:S1-114
The Registry of the International Society for Heart and Lung Transplantation: thirteenth official report—1996 (Hosenpud et al). 1996; 15:655-74 (Registry)
Revision of the 1990 working formulation for the classification of pulmonary allograft rejection: lung rejection study group (Yousem et al). 1996;15:1-15

Ischemia
Does donor organ ischemia over four hours affect long-term survival after lung transplantation? (Kshettry et al). 1996;15:169-74
Ischemic preconditioning enhances donor lung preservation in the rat (Du et al). 1996;15: 1258-67
Pulmonary allograft ischemic time: an important predictor of survival after lung transplantation (Snell et al). 1996;15:160-8

Isogeneic transplantation; *see* **Transplantation, isogeneic**

Isomers
Both L- and D-isomers of Allotrap 2702 prolong cardiac allograft survival in mice (Gao et al). 1996;15:78-87

Itraconazole
The association of itraconazole and methylprednisolone may give rise to important steroid-related side effects (Linthoudt et al). 1996;15: 1165 (Letter)

K

Kidney
Effect of pentoxifylline on renal toxicity of cyclosporine: results of a clinical trial after heart transplantation (Carrier et al). 1996;15:1179-83
Effect of prostaglandin E_1 infusion on kidney function in patients with severe heart failure (Wutte et al). 1996;15:317-8 (Letter)
Five years' follow-up of renal glomerular and tubular functions in heart transplant recipients (Hartmann et al). 1996;15:972-9

Killer cells, natural
Receptors that turn on and turn off natural killer cells (Chong). 1996;15:675-83

L

Lazaroids
Improvement of pulmonary graft after storage for twenty-four hours by in vivo administration of lazaroid U74389G: functional and morphologic analysis (Sasaki et al). 1996;15:35-42
Successful twenty-four–hour canine lung preservation with lazaroid U74500A (Tanoue et al). 1996;15:43-50

Left ventricular assist device; *see* **Heart-assist devices**

Leiomyosarcoma
Absence of Epstein-Barr virus involvement in an adult heart transplant recipient with an epithelioid leiomyosarcoma (van Gelder et al). 1996; 15:650-1 (Letter)

Letters
Letters to the editor. 1996;15:314-25, 430-2, 539-41, 650-1, 852-3, 1165, 1268-9

Leukocytes, mononuclear
Semiquantitative measurement of cytokine messenger RNA in endomyocardium and peripheral blood mononuclear cells from human heart transplant recipients (Lagoo et al). 1996;15: 206-17

Ligation
Exercise performance of rats after isogenic left or right lung transplantation followed by contralateral pulmonary artery ligation (Yoon et al). 1996;15:605-11

Lipid peroxidation
Successful twenty-four–hour canine lung preservation with lazaroid U74500A (Tanoue et al). 1996;15:43-50

Lipids
Fenofibrate, probucol, and other lipid-lowering treatments in heart transplant recipients (de Lorgeril et al). 1996;15:539-40 (Letter)
Lipid disorder and transplant coronary artery disease in long-term survivors of heart transplantation (Park et al). 1996;15:572-9

Literature
Cortical blindness secondary to cyclosporine after orthotopic heart transplantation: a case report and review of the literature (Drachman et al). 1996;15:1158-64
Mycotic aortic aneurysms after orthotopic heart transplantation: a three-case report and review of the literature (Knosalla et al). 1996;15: 827-39

Liver transplantation
Heart-lung-liver transplantation (Dennis et al). 1996;15:536-8
Microangiopathic hemolytic anemia secondary to

Liver transplantation—cont'd
cyclosporine therapy in a heart and liver transplant recipient (Oteo et al). 1996;15:322-4 (Letter)
Long-term care
Reversal of end-stage heart failure is predicted by long-term therapeutic response rather than initial hemodynamic and neurohormonal profile (Levine et al). 1996;15:297-303
Luminal narrowing
Low-dose cyclosporine treatment fails to prevent coronary luminal narrowing after heart transplantation (Vassalli et al). 1996;15:612-9
Lung diseases
Lung transplantation in patients with systemic diseases: an eleven-year experience at Papworth Hospital (Yeatman et al). 1996;15:144-9
Lung preservation; *see* **Organ preservation**
Lung transplantation
Actuarial survival of heart-lung and bilateral sequential lung transplant recipients with obliterative bronchiolitis (Valentine et al). 1996;15:371-83
Application of pulmonary vein gas analysis: a novel approach which may increase the pool of potential lung transplant donors (El-Gamel et al). 1996;15:315-6 (Letter)
The bronchial epithelium: a potential allogeneic target for chronic rejection after lung transplantation (Mauck and Hosenpud). 1996;15:709-14
Comparison of the hemodynamics and survival of adults with severe primary pulmonary hypertension or Eisenmenger syndrome (Hopkins et al). 1996;15:100-5
Controlled pressure reperfusion of rat pulmonary grafts yields improved function after twenty-four–hours' cold storage in University of Wisconsin solution (Hopkinson et al). 1996;15:283-90
Diagnostic yield and therapeutic impact of flexible bronchoscopy in lung transplant recipients (Chan et al). 1996;15:196-205
Does donor organ ischemia over four hours affect long-term survival after lung transplantation? (Kshettry et al). 1996;15:169-74
Donor lungs from ventilated cadavers: impact of a free radical scavenger (Roberts et al). 1996;15:275-82
Effect of hypotension preceding death on the function of lungs from donors with nonbeating hearts (Tremblay et al). 1996;15:260-8
Enhancement of cytomegalovirus infection and acute rejection after allogeneic lung transplantation in the rat: virus-induced expression of major histocompatibility complex class II antigens (You et al). 1996;15:1108-19
Exercise performance of rats after isogenic left or right lung transplantation followed by contralateral pulmonary artery ligation (Yoon et al). 1996;15:605-11
Humoral (antibody-mediated) rejection in lung transplantation (Saint Martin et al). 1996;15:1217-22
Impact of ganciclovir prophylaxis on heart-lung and lung transplant recipients (Soghikian et al). 1996;15:881-7
Impaired endothelium-mediated vasodilation in the peripheral vasculature of patients with acute pulmonary allograft rejection (Scherstén et al). 1996;15:556-63
Improvement of pulmonary graft after storage for twenty-four hours by in vivo administration of lazaroid U74389G: functional and morphologic analysis (Sasaki et al). 1996;15:35-42
Influence of human leukocyte antigen matching on long-term outcome after lung transplantation (Wisser et al). 1996;15:1209-16
Lung retransplantation: institutional report on a series of twenty patients (Wekerle et al). 1996;15:182-9
Lung transplantation in infancy and early childhood (Bridges et al). 1996;15:895-902
Lung transplantation in patients with systemic diseases: an eleven-year experience at Papworth Hospital (Yeatman et al). 1996;15:144-9
Maldistribution of pneumoplegia in pulmonary allografts secondary to post-traumatic pulmonary thromboembolism (Smith et al). 1996;15:324-5 (Letter)
Methotrexate can halt the progression of bronchiolitis obliterans syndrome in lung transplant recipients (Dusmet et al). 1996;15:948-54
Methotrexate for lung transplant recipients with steroid-resistant acute rejection (Cahill et al). 1996;15:1130-7
Physiologic definitions of obliterative bronchiolitis in heart-lung and double lung transplantation: a comparison of the forced expiratory flow between 25% and 75% of the forced vital capacity and forced expiratory volume in one second (Patterson et al). 1996;15:175-81
Previous intrapleural procedures do not adversely affect lung transplantation (Dusmet et al). 1996;15:249-54
Prolonged survival of hamster-to-rat pulmonary

xenografts by tacrolimus (FK506) and cyclophosphamide (Komatsu et al). 1996;15: 722-7
Prostanoid release after lung transplantation (Kimblad et al). 1996;15:999-1004
Pulmonary allograft ischemic time: an important predictor of survival after lung transplantation (Snell et al). 1996;15:160-8
The Registry of the International Society for Heart and Lung Transplantation: thirteenth official report—1996 (Hosenpud et al). 1996; 15:655-74 (Registry)
Revision of the 1990 working formulation for the classification of pulmonary allograft rejection: lung rejection study group (Yousem et al). 1996;15:1-15
Risk factors for the development of obliterative bronchiolitis after lung transplantation (Girgis et al). 1996;15:1200-8
Seasonal onset of bronchiolitis obliterans syndrome in lung transplant recipients (Hohlfeld et al). 1996;15:888-94
Severe hemolysis caused by graft-derived anti-B production after lung transplantation (Taaning et al). 1996;15:850-1
Should cryptogenic organizing pneumonia be included in the classification of pulmonary allograft rejection? (Egan et al). 1996;15:1268-9 (Letter)
Single lung transplantation followed by contralateral bullectomy for bullous emphysema (Kuno et al). 1996;15:389-94
Successful twenty-four–hour canine lung preservation with lazaroid U74500A (Tanoue et al). 1996;15:43-50
Tailoring of the lung to overcome size disparities in lung transplantation (Wisser et al). 1996;15: 239-42
Thromboxane receptor blockade does not attenuate pulmonary pressor response in porcine single lung transplantation (Kukkonen et al). 1996;15:409-14
Total pulmonary artery occlusion immediately after lung transplantation: successful revascularization with intravascular stents (Hearne et al). 1996;15:532-5
Uptake of indium-111-anti-intercellular adhesion molecule-1 monoclonal antibody in the allografted rat lung during acute rejection (Amano et al). 1996;15:1027-33
Value of high-resolution computed tomography in routine evaluation of lung transplantation recipients during development of bronchiolitis obliterans syndrome (Ikonen et al). 1996;15: 587-95
Yield of surveillance transbronchial biopsies performed beyond two years after lung transplantation (Kesten et al). 1996;15:384-8

Lupus erythematosus, systemic
Lung transplantation in patients with systemic diseases: an eleven-year experience at Papworth Hospital (Yeatman et al). 1996;15:144-9

Lymphatic irradiation
Total lymphoid irradiation as rescue therapy after heart transplantation (Madden et al). 1996;15: 234-8
Total lymphoid irradiation for resistant rejection after heart transplantation: only moderate success medium-term (Keogh et al). 1996;15:231-3

Lymphoid irradiation; *see* **Lymphatic irradiation**

M

Magnetic resonance imaging
Assessment of right and left atrial function in patients with transplantated hearts with the use of magnetic resonance imaging (Lauerma et al). 1996;15:360-7
Magnetic resonance coronary angiography in heart transplant recipients (Davis et al). 1996; 15:580-6

Major histocompatibility complex
Enhancement of cytomegalovirus infection and acute rejection after allogeneic lung transplantation in the rat: virus-induced expression of major histocompatibility complex class II antigens (You et al). 1996;15:1108-19
Receptors that turn on and turn off natural killer cells (Chong). 1996;15:675-83

Messenger RNA; *see* **RNA, messenger**

Metabolism
Preservation of myocardial function and metabolism at subzero nonfreezing temperature storage of the heart (Sakaguchi et al). 1996;15: 1101-7

Methotrexate
Methotrexate can halt the progression of bronchiolitis obliterans syndrome in lung transplant recipients (Dusmet et al). 1996;15:948-54
Methotrexate for lung transplant recipients with steroid-resistant acute rejection (Cahill et al). 1996;15:1130-7

Methylprednisolone
The association of itraconazole and methylprednisolone may give rise to important steroid-related side effects (Linthoudt et al). 1996;15: 1165 (Letter)

Microscopy, electron, scanning
First clinical application of the MEDOS-HIA ventricular support system: monitoring of the thrombotic risk by means of the biomarker prothrombin fragment F_1+_2 and scanning electron microscopy evaluation (Guldner et al). 1996;15:291-6
Mobilization
Early progressive mobilization of patients with left ventricular assist devices is safe and optimizes recovery before heart transplantation (Morrone et al). 1996;15:423-9
Models, theoretical
Adenovirus-mediated in vivo gene transfer in a rabbit model of allograft vasculopathy (Mehra et al). 1996;15:51-7
Detection of acute cardiac allograft rejection with high resolution electrocardiography: experimental study in rats (Babuty et al). 1996;15:1120-9
The identification of contributory mechanisms for the development and progression of congestive heart failure in animal models (Iannini and Spinale). 1996;15:1138-50
Isolated coronary artery transplantation in pigs: a new model to study transplantation arteriosclerosis and humoral rejection (Tixier et al). 1996;15:919-27
A novel mechanism for cyclosporine: inhibition of myocardial ischemia and reperfusion injury in a heterotopic rabbit heart transplant model (Gatewood et al). 1996;15:936-47
A theoretic analysis of the effect of pulmonary vasodilation on pulmonary venous pressure: implications for inhaled nitric oxide therapy (Dickstein and Burkhoff). 1996;15:715-21
Molecular weight
Influence of dextrans on lung preservation: Is the molecular weight important? (Fukuse et al). 1996;15:903-10
Monitoring, physiologic
First clinical application of the MEDOS-HIA ventricular support system: monitoring of the thrombotic risk by means of the biomarker prothrombin fragment F_1+_2 and scanning electron microscopy evaluation (Guldner et al). 1996;15:291-6
Paced epimyocardial electrograms for noninvasive rejection monitoring after heart transplantation (Auer et al). 1996;15:993-8
Monoclonal antibody OKT3; *see* **Muromonab-CD3**
Mononuclear cells; *see* **Leukocytes, mononuclear**
Morbidity
Prognostic determinants of six-month morbidity and mortality in heart transplant recipients (De Maria et al). 1996;15:124-35
Mortality
Prognostic determinants of six-month morbidity and mortality in heart transplant recipients (De Maria et al). 1996;15:124-35
Multicenter studies
Do multiinstitutional studies represent a higher level of research than single institution studies? (Naftel). 1996;15:229-30 (Editorial)
Risk factors for early, cumulative, and fatal infections after heart transplantation: a multiinstitutional study (Smart et al). 1996;15:329-41
Muromonab-CD3
Mechanisms of immunosuppression induced by antithymocyte globulins and OKT3 (Bonnefoy-Berard and Revillard). 1996;15:435-42
Mycotic aneurysm; *see* **Aneurysm, infected**
Myocardial contraction
Inhaled nitric oxide: effects on hemodynamics, myocardial contractility, and regional blood flow in dogs with mechanically induced pulmonary artery hypertension (Girard et al). 1996;15:700-8
Poststorage diastolic abnormalities of heart transplants: Is vascular dysfunction or myocardial contracture the culprit? (Kevelaitis et al). 1996;15:461-9
Myocardial ischemia
A novel mechanism for cyclosporine: inhibition of myocardial ischemia and reperfusion injury in a heterotopic rabbit heart transplant model (Gatewood et al). 1996;15:936-47
Myocarditis
Eosinophilic myocarditis in heart transplant candidates (Fernández-González and Panizo-Santos) (Letter); (Spear) (Reply). 1996;15:852-3
Myocardium
Evaluation of myocardial viability during simple cold storage with the use of electrical properties in broad frequencies (Ishikawa et al). 1996;15:1005-11
Myocardial acoustics in pediatric allograft rejection (Gotteiner et al). 1996;15:596-604
Preservation of myocardial function and metabolism at subzero nonfreezing temperature storage of the heart (Sakaguchi et al). 1996;15:1101-7

N

Neonate; *see* **Infant, newborn**
Nitric oxide
Enhanced nitric oxide production induced by the administration of L-arginine does not inhibit

arterial neointimal formation after overwhelming alloimmune injury (Gregory et al). 1996;15: 58-66

Inhaled nitric oxide: effects on hemodynamics, myocardial contractility, and regional blood flow in dogs with mechanically induced pulmonary artery hypertension (Girard et al). 1996; 15:700-8

Low doses of inhaled nitric oxide in heart transplant recipients (Auler et al). 1996;15:443-50

A theoretic analysis of the effect of pulmonary vasodilation on pulmonary venous pressure: implications for inhaled nitric oxide therapy (Dickstein and Burkhoff). 1996;15:715-21

Novacar left ventricular assist system; *see* **Heart-assist devices**

Nuclear magnetic resonance

Magnetic resonance coronary angiography in heart transplant recipients (Davis et al). 1996; 15:580-6

O

Obesity

Preoperative obesity is associated with decreased survival after heart transplantation (Grady et al). 1996;15:863-71

Obliterative bronchiolitis; *see* **Bronchiolitis obliterans**

OKT3; *see* **Muromonab-CD3**

Organ donors; *see* **Tissue donors**

Organ preservation

The combined effects of brain death and cardiac graft preservation on cardiopulmonary hemodynamics and function before and after subsequent heart transplantation (Bittner et al). 1996;15:764-77

Efficacy of oxygenated University of Wisconsin solution containing endothelin-A receptor antagonist in twenty-four–hour heart preservation (Okada et al). 1996;15:475-84

Evaluation of myocardial viability during simple cold storage with the use of electrical properties in broad frequencies (Ishikawa et al). 1996;15: 1005-11

Improvement of pulmonary graft after storage for twenty-four hours by in vivo administration of lazaroid U74389G: functional and morphologic analysis (Sasaki et al). 1996;15:35-42

Influence of dextrans on lung preservation: Is the molecular weight important? (Fukuse et al). 1996;15:903-10

Ischemic preconditioning enhances donor lung preservation in the rat (Du et al). 1996;15: 1258-67

Long-term heart preservation by the combined method of simple immersion and coronary perfusion (Ohtaki et al). 1996;15:269-74

Lung retrieval from cadaver donors with nonbeating hearts: optimal preservation solution (D'Armini et al). 1996;15:496-505

Orthotopic heart transplantation hemodynamics: Does atrial preservation improve cardiac output after transplantation? (El-Gamel et al). 1996;15:564-71

Poststorage diastolic abnormalities of heart transplants: Is vascular dysfunction or myocardial contracture the culprit? (Kevelaitis et al). 1996;15:461-9

Preservation of myocardial function and metabolism at subzero nonfreezing temperature storage of the heart (Sakaguchi et al). 1996;15: 1101-7

Prostacyclin analog OP2507 prevents pulmonary arterial and airway constriction during lung preservation and reperfusion (Nawata et al). 1996;15:470-4

Retrograde versus antegrade flush in canine left lung preservation for six hours (Chen et al). 1996;15:395-403

Successful twenty-four–hour canine lung preservation with lazaroid U74500A (Tanoue et al). 1996;15:43-50

Temperature-dependent cardioprotection of exogenous substrates in long-term heart preservation with continuous perfusion: twenty-four–hour preservation of isolated rat heart with St. Thomas' hospital solution containing glucose, insulin, and aspartate (Shimada et al). 1996;15: 485-95

Organ procurement

Donor lungs from ventilated cadavers: impact of a free radical scavenger (Roberts et al). 1996; 15:275-82

Lung retrieval from cadaver donors with nonbeating hearts: optimal preservation solution (D'Armini et al). 1996;15:496-505

Successful transplantation of cadaver hearts harvested one hour after hypoxic cardiac arrest (Takagaki et al). 1996;15:527-31

Orthotopic transplantation; *see* **Transplantation, homologous**

Outcome assessment

Hearts from donors with chronic alcohol use: a possible risk factor for death after heart transplantation (Freimark et al). 1996;15:150-9

Influence of human leukocyte antigen matching on long-term outcome after lung transplantation (Wisser et al). 1996;15:1209-16

P

Parvovirus B19, human
Transient aplastic anemia caused by parvovirus B19 infection in a heart transplant recipient (Bergen et al). 1996;15:843-5
Patient selection; *see* **Health care rationing**
Pediatrics; *see* **Child**
Pentoxifylline
Effect of pentoxifylline on renal toxicity of cyclosporine: results of a clinical trial after heart transplantation (Carrier et al). 1996;15:1179-83
Perfusion
Long-term heart preservation by the combined method of simple immersion and coronary perfusion (Ohtaki et al). 1996;15:269-74
Temperature-dependent cardioprotection of exogenous substrates in long-term heart preservation with continuous perfusion: twenty-four–hour preservation of isolated rat heart with St. Thomas' hospital solution containing glucose, insulin, and aspartate (Shimada et al). 1996;15:485-95
Pericardial effusion
Pseudopericardial effusions in heart transplant recipients (Dorffner et al). 1996;15:846-9
Phosphates
Long-term heart preservation by the combined method of simple immersion and coronary perfusion (Ohtaki et al). 1996;15:269-74
Phosphocreatine
Long-term heart preservation by the combined method of simple immersion and coronary perfusion (Ohtaki et al). 1996;15:269-74
Pleura
Previous intrapleural procedures do not adversely affect lung transplantation (Dusmet et al). 1996;15:249-54
Pneumocystis carinii
Pneumocystis carinii pneumonia in infants after heart transplantation (Janner et al). 1996;15:758-63
Pneumonia
Pneumocystis carinii pneumonia in infants after heart transplantation (Janner et al). 1996;15:758-63
Should cryptogenic organizing pneumonia be included in the classification of pulmonary allograft rejection? (Egan et al). 1996;15:1268-9 (Letter)
Polymerase chain reaction
Diagnosis, surveillance, and epidemiologic evaluation of viral infections in pediatric cardiac transplant recipients with the use of the polymerase chain reaction (Schowengerdt et al). 1996;15:111-23
Postoperative complications
Chagas' disease reactivation after heart transplantation: efficacy of allopurinol treatment (Almeida et al). 1996;15:988-92
Cortical blindness secondary to cyclosporine after orthotopic heart transplantation: a case report and review of the literature (Drachman et al). 1996;15:1158-64
Left ventricular dysfunction after heart transplantation: incidence and role of enhanced immunosuppression (McNamara et al). 1996;15:506-15
Normalization of total body and regional sympathetic hyperactivity in heart failure after heart transplantation (Rundqvist et al). 1996;15:516-26
RANTES chemokine expression in transplant-associated accelerated atherosclerosis (Pattison et al). 1996;15:1194-9
Risk factors for early, cumulative, and fatal infections after heart transplantation: a multiinstitutional study (Smart et al). 1996;15:329-41
Risk factors for the development of obliterative bronchiolitis after lung transplantation (Girgis et al). 1996;15:1200-8
Severe hemolysis caused by graft-derived anti-B production after lung transplantation (Taaning et al). 1996;15:850-1
Troponin T as a marker for posttransplantation adaptational problems of the donor heart (Halwachs et al). 1996;15:451-5
Prasterone
Dehydroepiandrosterone and cardiac allograft vasculopathy (Herrington et al). 1996;15:88-93
Pressoreceptors
Thromboxane receptor blockade does not attenuate pulmonary pressor response in porcine single lung transplantation (Kukkonen et al). 1996;15:409-14
Prevention and control
Impact of ganciclovir prophylaxis on heart-lung and lung transplant recipients (Soghikian et al). 1996;15:881-7
Probucol
Fenofibrate, probucol, and other lipid-lowering treatments in heart transplant recipients (de Lorgeril et al). 1996;15:539-40 (Letter)
Procetofen
Fenofibrate, probucol, and other lipid-lowering treatments in heart transplant recipients (de Lorgeril et al). 1996;15:539-40 (Letter)
Prognosis
Prognostic determinants of six-month morbidity and mortality in heart transplant recipients (De Maria et al). 1996;15:124-35

Program issue
Program issue. 1996;15:S1-114
Prophylaxis; *see* **Prevention and control**
Prostacyclin; *see* **Epoprostenol**
Prostaglandin E_1; *see* **Alprostadil**
Prostanoic acids
Prostanoid release after lung transplantation (Kimblad et al). 1996;15:999-1004
Protein expression
Biglycan, decorin, and versican protein expression patterns in coronary arteriopathy of human cardiac allografts: distinctness as compared to native atherosclerosis (Lin et al). 1996;15: 1233-47
Proteoglycans
Biglycan, decorin, and versican protein expression patterns in coronary arteriopathy of human cardiac allografts: distinctness as compared to native atherosclerosis (Lin et al). 1996;15:1233-47
Prominence of apolipoproteins B, (a), and E in the intimae of coronary arteries in transplanted human hearts: geographic relationship to vessel wall proteoglycans (Lin et al). 1996;15:1223-32
Prothrombin
First clinical application of the MEDOS-HIA ventricular support system: monitoring of the thrombotic risk by means of the biomarker prothrombin fragment F_{1+2} and scanning electron microscopy evaluation (Guldner et al). 1996;15:291-6
Pulmonary artery
Exercise performance of rats after isogenic left or right lung transplantation followed by contralateral pulmonary artery ligation (Yoon et al). 1996;15:605-11
Inhaled nitric oxide: effects on hemodynamics, myocardial contractility, and regional blood flow in dogs with mechanically induced pulmonary artery hypertension (Girard et al). 1996; 15:700-8
Total pulmonary artery occlusion immediately after lung transplantation: successful revascularization with intravascular stents (Hearne et al). 1996;15:532-5
Pulmonary diseases; *see* **Lung diseases**
Pulmonary embolism
Maldistribution of pneumoplegia in pulmonary allografts secondary to post-traumatic pulmonary thromboembolism (Smith et al). 1996;15: 324-5 (Letter)
Pulmonary function tests; *see* **Respiratory function tests**
Pulmonary gas exchange
Application of pulmonary vein gas analysis: a novel approach which may increase the pool of potential lung transplant donors (El-Gamel et al). 1996;15:315-6 (Letter)
Influence of the exercise protocol on hemodynamic, gas exchange, and neurohumoral responses to exercise in heart transplant recipients (Gullestad et al). 1996;15:304-13
Pulmonary veins
A theoretic analysis of the effect of pulmonary vasodilation on pulmonary venous pressure: implications for inhaled nitric oxide therapy (Dickstein and Burkhoff). 1996;15:715-21

Q

Quality of life
Improvement in quality of life in patients with heart failure who undergo transplantation (Grady et al). 1996;15:749-57
Measurement of health-related quality of life before and after heart-lung transplantation (Caine et al). 1996;15:1047-58

R

Rapamycin
Effect of single-dose rapamycin-based immunosuppression on the development of cardiac allograft vasculopathy (Goggins et al). 1996;15: 790-5
Receptors, endothelin
Efficacy of oxygenated University of Wisconsin solution containing endothelin-A receptor antagonist in twenty-four–hour heart preservation (Okada et al). 1996;15:475-84
Receptors, thromboxane
Thromboxane receptor blockade does not attenuate pulmonary pressor response in porcine single lung transplantation (Kukkonen et al). 1996;15:409-14
Registries
The Registry of the International Society for Heart and Lung Transplantation: thirteenth official report—1996 (Hosenpud et al). 1996; 15:655-74 (Registry)
Rejection; *see* **Graft rejection**
Reperfusion
Controlled pressure reperfusion of rat pulmonary grafts yields improved function after twenty-four–hours' cold storage in University of Wisconsin solution (Hopkinson et al). 1996;15: 283-90
Poststorage diastolic abnormalities of heart transplants: Is vascular dysfunction or myocardial contracture the culprit? (Kevelaitis et al). 1996;15:461-9
Prostacyclin analog OP2507 prevents pulmonary arterial and airway constriction during lung

Reperfusion—cont'd
preservation and reperfusion (Nawata et al). 1996;15:470-4
Prostanoid release after lung transplantation (Kimblad et al). 1996;15:999-1004
Reperfusion injury
A novel mechanism for cyclosporine: inhibition of myocardial ischemia and reperfusion injury in a heterotopic rabbit heart transplant model (Gatewood et al). 1996;15:936-47
Research
Do multiinstitutional studies represent a higher level of research than single institution studies? (Naftel). 1996;15:229-30 (Editorial)
Respiratory function tests
Physiologic definitions of obliterative bronchiolitis in heart-lung and double lung transplantation: a comparison of the forced expiratory flow between 25% and 75% of the forced vital capacity and forced expiratory volume in one second (Patterson et al). 1996;15:175-81
Retransplantation
Lung retransplantation: institutional report on a series of twenty patients (Wekerle et al). 1996;15:182-9
Successful bridge to retransplantation with the wearable Novacar left ventricular assist system (Jacquet et al). 1996;15:620-2
Revascularization
Total pulmonary artery occlusion immediately after lung transplantation: successful revascularization with intravascular stents (Hearne et al). 1996;15:532-5
Review literature
Cortical blindness secondary to cyclosporine after orthotopic heart transplantation: a case report and review of the literature (Drachman et al). 1996;15:1158-64
Mycotic aortic aneurysms after orthotopic heart transplantation: a three-case report and review of the literature (Knosalla et al). 1996;15:827-39
Risk factors
First clinical application of the MEDOS-HIA ventricular support system: monitoring of the thrombotic risk by means of the biomarker prothrombin fragment F_{1+2} and scanning electron microscopy evaluation (Guldner et al). 1996;15:291-6
Hearts from donors with chronic alcohol use: a possible risk factor for death after heart transplantation (Freimark et al). 1996;15:150-9
Risk factors for early, cumulative, and fatal infections after heart transplantation: a multiinstitutional study (Smart et al). 1996;15:329-41
Risk factors for the development of obliterative bronchiolitis after lung transplantation (Girgis et al). 1996;15:1200-8
RNA, messenger
Experimental and clinical allogeneic heart transplant rejection: correlations between histology and immune reactivity detected by cytokine messenger RNA (Normann et al). 1996;15:778-89
The intragraft cytokine mRNA pattern reflects the efficacy of steroid antirejection therapy (Baan et al). 1996;15:1184-93
Semiquantitative measurement of cytokine messenger RNA in endomyocardium and peripheral blood mononuclear cells from human heart transplant recipients (Lagoo et al). 1996;15:206-17

S

St. Thomas' Hospital solution
Poststorage diastolic abnormalities of heart transplants: Is vascular dysfunction or myocardial contracture the culprit? (Kevelaitis et al). 1996;15:461-9
Temperature-dependent cardioprotection of exogenous substrates in long-term heart preservation with continuous perfusion: twenty-four–hour preservation of isolated rat heart with St. Thomas' hospital solution containing glucose, insulin, and aspartate (Shimada et al). 1996;15:485-95
Saline; *see* **Sodium chloride**
Sarcoidosis, pulmonary
Lung transplantation in patients with systemic diseases: an eleven-year experience at Papworth Hospital (Yeatman et al). 1996;15:144-9
Selection for treatment; *see* **Health care rationing**
Sodium chloride
Donor lungs from ventilated cadavers: impact of a free radical scavenger (Roberts et al). 1996;15:275-82
Prostacyclin analog OP2507 prevents pulmonary arterial and airway constriction during lung preservation and reperfusion (Nawata et al). 1996;15:470-4
Stents
Total pulmonary artery occlusion immediately after lung transplantation: successful revascularization with intravascular stents (Hearne et al). 1996;15:532-5
Steroids
The association of itraconazole and methylprednisolone may give rise to important steroid-related side effects (Linthoudt et al). 1996;15:1165 (Letter)

The intragraft cytokine mRNA pattern reflects the efficacy of steroid antirejection therapy (Baan et al). 1996;15:1184-93

Storage; *see* **Organ preservation**

Survival

Actuarial survival of heart-lung and bilateral sequential lung transplant recipients with obliterative bronchiolitis (Valentine et al). 1996;15: 371-83

Comparison of the hemodynamics and survival of adults with severe primary pulmonary hypertension or Eisenmenger syndrome (Hopkins et al). 1996;15:100-5

Does donor organ ischemia over four hours affect long-term survival after lung transplantation? (Kshettry et al). 1996;15:169-74

Hearts from donors with chronic alcohol use: a possible risk factor for death after heart transplantation (Freimark et al). 1996;15:150-9

Improved long-term survival after heart transplantation predicted by successful early withdrawal from maintenance corticosteroid therapy (Taylor et al). 1996;15:1039-46

Mid-term results of heart transplantation, cardiomyoplasty, and medical treatment of refractory heart failure caused by idiopathic dilated cardiomyopathy (Bocchi et al). 1996;15:736-45

Pediatric heart-lung transplantation: intermediate-term results (Conte et al). 1996;15:692-9

Preoperative obesity is associated with decreased survival after heart transplantation (Grady et al). 1996;15:863-71

Prolonged survival of hamster-to-rat pulmonary xenografts by tacrolimus (FK506) and cyclophosphamide (Komatsu et al). 1996;15:722-7

Pulmonary allograft ischemic time: an important predictor of survival after lung transplantation (Snell et al). 1996;15:160-8

Sympathetic nervous system

Normalization of total body and regional sympathetic hyperactivity in heart failure after heart transplantation (Rundqvist et al). 1996;15:516-26

Systole

Transient normalization of systolic and diastolic function after support with a left ventricular assist device in a patient with dilated cardiomyopathy (Levin et al). 1996;15:840-2

T

Tacrolimus; *see* **FK-506**

Telescope

Reverse telescope anastomotic technique reduces the incidence of bronchial stricture (Rabinov et al). 1996;15:243-8

Thromboembolism

First clinical application of the MEDOS-HIA ventricular support system: monitoring of the thrombotic risk by means of the biomarker prothrombin fragment F_{1+2} and scanning electron microscopy evaluation (Guldner et al). 1996;15:291-6

Maldistribution of pneumoplegia in pulmonary allografts secondary to post-traumatic pulmonary thromboembolism (Smith et al). 1996;15: 324-5 (Letter)

Thrombosis

First clinical application of the MEDOS-HIA ventricular support system: monitoring of the thrombotic risk by means of the biomarker prothrombin fragment F_{1+2} and scanning electron microscopy evaluation (Guldner et al). 1996;15:291-6

Thromboxanes

Prostanoid release after lung transplantation (Kimblad et al). 1996;15:999-1004

Thromboxane receptor blockade does not attenuate pulmonary pressor response in porcine single lung transplantation (Kukkonen et al). 1996;15:409-14

Tissue donors

Application of pulmonary vein gas analysis: a novel approach which may increase the pool of potential lung transplant donors (El-Gamel et al). 1996;15:315-6 (Letter)

Does donor organ ischemia over four hours affect long-term survival after lung transplantation? (Kshettry et al). 1996;15:169-74

Donor lungs from ventilated cadavers: impact of a free radical scavenger (Roberts et al). 1996; 15:275-82

Donor-recipient size matching in pediatric heart transplantation: a word of caution about small grafts (Tamisier et al). 1996;15:190-5

Effect of hypotension preceding death on the function of lungs from donors with nonbeating hearts (Tremblay et al). 1996;15:260-8

Exercise capacity after heart transplantation: influence of donor and recipient characteristics (Renlund et al). 1996;15:16-24

Extended criteria for cardiac allograft donors: a consensus study (El Oakley et al). 1996;15: 255-9

Hearts from donors with chronic alcohol use: a possible risk factor for death after heart transplantation (Freimark et al). 1996;15:150-9

Impaired bronchial healing after lung donation from non-heart-beating donors (Binns et al). 1996;15:1084-92

Ischemic preconditioning enhances donor lung

Tissue donors – cont'd
preservation in the rat (Du et al). 1996;15: 1258-67
Lung retrieval from cadaver donors with nonbeating hearts: optimal preservation solution (D'Armini et al). 1996;15:496-505
Outcomes of patients undergoing transplantation with older donor hearts (Drinkwater et al). 1996;15:684-91
Retrograde versus antegrade flush in canine left lung preservation for six hours (Chen et al). 1996;15:395-403
Tailoring of the lung to overcome size disparities in lung transplantation (Wisser et al). 1996;15: 239-42

Tomography, x-ray computed
Value of high-resolution computed tomography in routine evaluation of lung transplantation recipients during development of bronchiolitis obliterans syndrome (Ikonen et al). 1996;15: 587-95

Toxicity
Effect of pentoxifylline on renal toxicity of cyclosporine: results of a clinical trial after heart transplantation (Carrier et al). 1996;15:1179-83

Transplantation, allogeneic; *see* **Transplantation, homologous**

Transplantation, heterologous
Different immune effects on cardiac allografts and xenografts induced by neonatal intrathymic inoculation with allogeneic and xenogeneic antigens (Shen et al). 1996;15:1034-8
A histopathologic grading system of hyperacute (humoral, antibody-mediated) cardiac xenograft and allograft rejection (Rose and Cooper). 1996;15:804-17
Immunologic barriers to xenotransplantation (Lin and Platt). 1996;15:547-55
Prolonged survival of hamster-to-rat pulmonary xenografts by tacrolimus (FK506) and cyclophosphamide (Komatsu et al). 1996;15:722-7

Transplantation, heterotopic
A novel mechanism for cyclosporine: inhibition of myocardial ischemia and reperfusion injury in a heterotopic rabbit heart transplant model (Gatewood et al). 1996;15:936-47

Transplantation, homologous
Adenovirus-mediated in vivo gene transfer in a rabbit model of allograft vasculopathy (Mehra et al). 1996;15:51-7
Biglycan, decorin, and versican protein expression patterns in coronary arteriopathy of human cardiac allografts: distinctness as compared to native atherosclerosis (Lin et al). 1996;15:1233-47
Both L- and D-isomers of Allotrap 2702 prolong cardiac allograft survival in mice (Gao et al). 1996;15:78-87
The bronchial epithelium: a potential allogeneic target for chronic rejection after lung transplantation (Mauck and Hosenpud). 1996;15: 709-14
Cortical blindness secondary to cyclosporine after orthotopic heart transplantation: a case report and review of the literature (Drachman et al). 1996;15:1158-64
Dehydroepiandrosterone and cardiac allograft vasculopathy (Herrington et al). 1996;15:88-93
Detection of acute cardiac allograft rejection with high resolution electrocardiography: experimental study in rats (Babuty et al). 1996;15: 1120-9
Different immune effects on cardiac allografts and xenografts induced by neonatal intrathymic inoculation with allogeneic and xenogeneic antigens (Shen et al). 1996;15:1034-8
Diltiazem preserves direct vasodilator response but fails to suppress intimal proliferation in rat allograft coronary artery disease (Takami et al). 1996;15:67-77
Does donor organ ischemia over four hours affect long-term survival after lung transplantation? (Kshettry et al). 1996;15:169-74
Effect of single-dose rapamycin-based immunosuppression on the development of cardiac allograft vasculopathy (Goggins et al). 1996;15: 790-5
Enhancement of cytomegalovirus infection and acute rejection after allogeneic lung transplantation in the rat: virus-induced expression of major histocompatibility complex class II antigens (You et al). 1996;15:1108-19
Evolution of focal moderate (International Society for Heart and Lung Transplantation Grade 2) rejection of the cardiac allograft (Milano et al). 1996;15:456-60
Experimental and clinical allogeneic heart transplant rejection: correlations between histology and immune reactivity detected by cytokine messenger RNA (Normann et al). 1996;15: 778-89
Extended criteria for cardiac allograft donors: a consensus study (El Oakley et al). 1996;15: 255-9
A histopathologic grading system of hyperacute (humoral, antibody-mediated) cardiac xenograft and allograft rejection (Rose and Cooper). 1996;15:804-17
Impaired endothelium-mediated vasodilation in

the peripheral vasculature of patients with acute pulmonary allograft rejection (Scherstén et al). 1996;15:556-63
Infective endocarditis of the tricuspid valve in an orthotopic heart transplant recipient (Stewart et al). 1996;15:646-9
Influence of acute or chronic rejection on myocardial collagen density in serial endomyocardial biopsy specimens from cardiac allografts (Fornes et al). 1996;15:796-803
Left atrial dysfunction after orthotopic heart transplantation (Starling and Boudoulas). 1996;15:431-2 (Letter)
Maldistribution of pneumoplegia in pulmonary allografts secondary to post-traumatic pulmonary thromboembolism (Smith et al). 1996;15:324-5 (Letter)
Mycotic aortic aneurysms after orthotopic heart transplantation: a three-case report and review of the literature (Knosalla et al). 1996;15:827-39
Myocardial acoustics in pediatric allograft rejection (Gotteiner et al). 1996;15:596-604
Orthotopic heart transplantation hemodynamics: Does atrial preservation improve cardiac output after transplantation? (El-Gamel et al). 1996;15:564-71
Preventing allograft rejection with CTLA4IG: effect of donor-specific transfusion route or timing (Bolling et al). 1996;15:928-35
Pulmonary allograft ischemic time: an important predictor of survival after lung transplantation (Snell et al). 1996;15:160-8
Recipient-donor atrial synchronization benefits acute hemodynamics after orthotopic heart transplantation (McClurken et al). 1996;15:368-70
Revision of the 1990 working formulation for the classification of pulmonary allograft rejection: lung rejection study group (Yousem et al). 1996;15:1-15
Should cryptogenic organizing pneumonia be included in the classification of pulmonary allograft rejection? (Egan et al). 1996;15:1268-9 (Letter)
Twenty-three–year survival after orthotopic heart transplantation (Brink). 1996;15:430-1 (Letter)
Uptake of indium-111-anti-intercellular adhesion molecule-1 monoclonal antibody in the allografted rat lung during acute rejection (Amano et al). 1996;15:1027-33

Transplantation, isogeneic
Exercise performance of rats after isogenic left or right lung transplantation followed by contralateral pulmonary artery ligation (Yoon et al). 1996;15:605-11

Trauma; *see* **Wounds and injuries**

Treatment outcome
Influence of human leukocyte antigen matching on long-term outcome after lung transplantation (Wisser et al). 1996;15:1209-16

Tricuspid valve
Infective endocarditis of the tricuspid valve in an orthotopic heart transplant recipient (Stewart et al). 1996;15:646-9

Troponin
Troponin T as a marker for posttransplantation adaptational problems of the donor heart (Halwachs et al). 1996;15:451-5

Tunica intima
Diltiazem preserves direct vasodilator response but fails to suppress intimal proliferation in rat allograft coronary artery disease (Takami et al). 1996;15:67-77
Enhanced nitric oxide production induced by the administration of L-arginine does not inhibit arterial neointimal formation after overwhelming alloimmune injury (Gregory et al). 1996;15:58-66
Prediction of angiographic disease by intracoronary ultrasonographic findings in heart transplant recipients (Liang et al). 1996;15:980-7
Prominence of apolipoproteins B, (a), and E in the intimae of coronary arteries in transplanted human hearts: geographic relationship to vessel wall proteoglycans (Lin et al). 1996;15:1223-32

U

Ultrasonography
Prediction of angiographic disease by intracoronary ultrasonographic findings in heart transplant recipients (Liang et al). 1996;15:980-7
Pseudopericardial effusions in heart transplant recipients (Dorffner et al). 1996;15:846-9

University of Wisconsin solution
Controlled pressure reperfusion of rat pulmonary grafts yields improved function after twenty-four–hours' cold storage in University of Wisconsin solution (Hopkinson et al). 1996;15:283-90
Efficacy of oxygenated University of Wisconsin solution containing endothelin-A receptor antagonist in twenty-four–hour heart preservation (Okada et al). 1996;15:475-84
Improvement of pulmonary graft after storage for twenty-four hours by in vivo administration of

University of Wisconsin solution—cont'd
lazaroid U74389G: functional and morphologic analysis (Sasaki et al). 1996;15:35-42
Long-term heart preservation by the combined method of simple immersion and coronary perfusion (Ohtaki et al). 1996;15:269-74
Lung retrieval from cadaver donors with nonbeating hearts: optimal preservation solution (D'Armini et al). 1996;15:496-505

V

Vascular intima; *see* **Tunica intima**
Vascular resistance
Prostanoid release after lung transplantation (Kimblad et al). 1996;15:999-1004
Vasculitis
Lung transplantation in patients with systemic diseases: an eleven-year experience at Papworth Hospital (Yeatman et al). 1996;15:144-9
Vasculopathy
Adenovirus-mediated in vivo gene transfer in a rabbit model of allograft vasculopathy (Mehra et al). 1996;15:51-7
Dehydroepiandrosterone and cardiac allograft vasculopathy (Herrington et al). 1996;15:88-93
Effect of single-dose rapamycin-based immunosuppression on the development of cardiac allograft vasculopathy (Goggins et al). 1996;15:790-5
Low-dose cyclosporine treatment fails to prevent coronary luminal narrowing after heart transplantation (Vassalli et al). 1996;15:612-9
Role of antibody and indirect antigen presentation in transplant-associated coronary artery vasculopathy (Rose). 1996;15:342-9
Vasoconstriction
Prostanoid release after lung transplantation (Kimblad et al). 1996;15:999-1004
Vasodilation
Diltiazem preserves direct vasodilator response but fails to suppress intimal proliferation in rat allograft coronary artery disease (Takami et al). 1996;15:67-77
Impaired endothelium-mediated vasodilation in the peripheral vasculature of patients with acute pulmonary allograft rejection (Scherstén et al). 1996;15:556-63
Poststorage diastolic abnormalities of heart transplants: Is vascular dysfunction or myocardial contracture the culprit? (Kevelaitis et al). 1996;15:461-9
A theoretic analysis of the effect of pulmonary vasodilation on pulmonary venous pressure: implications for inhaled nitric oxide therapy (Dickstein and Burkhoff). 1996;15:715-21
Ventricular assist device; *see* **Heart-assist devices**
Ventricular function, left
Left ventricular dysfunction after heart transplantation: incidence and role of enhanced immunosuppression (McNamara et al). 1996;15:506-15
Viruses
Diagnosis, surveillance, and epidemiologic evaluation of viral infections in pediatric cardiac transplant recipients with the use of the polymerase chain reaction (Schowengerdt et al). 1996;15:111-23
Enhancement of cytomegalovirus infection and acute rejection after allogeneic lung transplantation in the rat: virus-induced expression of major histocompatibility complex class II antigens (You et al). 1996;15:1108-19
Vital capacity
Physiologic definitions of obliterative bronchiolitis in heart-lung and double lung transplantation: a comparison of the forced expiratory flow between 25% and 75% of the forced vital capacity and forced expiratory volume in one second (Patterson et al). 1996;15:175-81

W

Wound healing
Impaired bronchial healing after lung donation from non-heart-beating donors (Binns et al). 1996;15:1084-92
Wounds and injuries
Enhanced nitric oxide production induced by the administration of L-arginine does not inhibit arterial neointimal formation after overwhelming alloimmune injury (Gregory et al). 1996;15:58-66
Maldistribution of pneumoplegia in pulmonary allografts secondary to post-traumatic pulmonary thromboembolism (Smith et al). 1996;15:324-5 (Letter)

X

Xenotransplantation; *see* **Transplantation, heterologous**